




### AM



### PM



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Friday 01 03 2019



Gliding snow



2600m



Wet snow



2600m

Gliding avalanches are the main danger, in particular in the regions with a lot of snow. Slight increase in danger of wet and gliding avalanches as the day progresses.

There is a danger of gliding avalanches. This applies on steep grassy slopes below approximately 2600 m, especially on sunny slopes. In particular in the regions with a lot of snow gliding avalanches can in some cases reach large size. Areas with glide cracks are to be avoided as far as possible. Weakly bonded old snow: Dry avalanches can in isolated cases be released in the old snowpack by large loads, especially in little used backcountry terrain. Caution is to be exercised in particular on steep shady slopes between approximately 2000 and 2600 m in areas where the snow cover is rather shallow. The avalanche prone locations are very rare but are barely recognisable, even to the trained eye. As a consequence of warming during the day and the solar radiation, the likelihood of wet and gliding avalanches being released will increase. On extremely steep sunny slopes small and, in isolated cases, medium-sized wet loose snow avalanches are possible in the afternoon. This applies especially on steep southwest, south and southeast facing slopes below approximately 2600 m.

## Snowpack

### Danger patterns

dp 2: gliding snow


dp 10: springtime scenario

Outgoing longwave radiation during the night will be good. From early morning the weather will be mostly sunny. The weather will be mild. The wind will be moderate over a wide area. The surface of the snowpack will soften during the day. This applies on steep sunny slopes below approximately 3000 m. Isolated avalanche prone weak layers exist in the bottom section of the snowpack, in particular on steep shady slopes between approximately 2000 and 2600 m.


## Tendency

Decrease in danger of wet and gliding avalanches as the temperature drops.

## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Friday 01 03 2019



Gliding snow



Wet snow



The backcountry touring conditions are spring-like. Slight increase in avalanche danger as the day progresses. Caution is to be exercised in areas with glide cracks.

There is a danger of gliding avalanches. This applies on steep grassy slopes in all aspects below approximately 2000 m, this also applies on very steep sunny slopes at high altitude. Gliding avalanches can in isolated cases reach very large size. Afternoon: As a consequence of warming during the day and the solar radiation, the likelihood of wet and gliding avalanches being released will increase a little in particular on steep sunny slopes. On sunny slopes small and medium-sized wet loose snow avalanches are possible in the afternoon, especially in areas where the snow cover is rather shallow as well as in extremely steep terrain, this applies even in case of a small load.

## Snowpack

**Danger patterns**

dp 2: gliding snow


dp 10: springtime scenario

Outgoing longwave radiation during the night will be good. The weather will be mostly sunny. The weather will be mild. The wind will be moderate over a wide area. The surface of the snowpack will soften during the day. This applies in particular on steep sunny slopes. The old snowpack will be in most cases favourable.

## Tendency

Decrease in danger of gliding avalanches and wet snow slides as the temperature drops.

## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Friday 01 03 2019



Gliding snow



Wet snow



The backcountry touring conditions are spring-like. Slight increase in avalanche danger as the day progresses. Caution is to be exercised in areas with glide cracks.

There is a danger of gliding avalanches. This applies on steep grassy slopes in all aspects below approximately 2000 m, this also applies on very steep sunny slopes below approximately 2600 m. Gliding avalanches can in isolated cases reach very large size. In addition the mostly small wind slabs of the last few days adjacent to ridgelines are prone to triggering in very isolated cases. This applies on extremely steep shady slopes in high Alpine regions. Such avalanche prone locations are rare and are clearly recognisable to the trained eye. Afternoon: As a consequence of warming during the day and the solar radiation, the likelihood of wet and gliding avalanches being released will increase a little in particular on steep sunny slopes below approximately 2600 m. On sunny slopes small and medium-sized wet loose snow avalanches are possible in the afternoon, especially in areas where the snow cover is rather shallow as well as in extremely steep terrain, this applies even in case of a small load.

## Snowpack

### Danger patterns

dp 2: gliding snow

dp 10: springtime scenario


Outgoing longwave radiation during the night will be good. The weather will be mostly sunny. The weather will be mild. The wind will be moderate over a wide area. The surface of the snowpack will soften during the day. This applies in particular on steep sunny slopes below approximately 3000 m. Fresh wind slabs are lying on soft layers on extremely steep shady slopes in high Alpine regions. The old snowpack will be in most cases favourable.

## Tendency

Decrease in danger of gliding avalanches and wet snow slides as the temperature drops.

## Danger Level 2 - Moderate


AM:



**Tendency: Decreasing avalanche danger**  
 on Friday 01 03 2019



PM:



**Tendency: Decreasing avalanche danger**  
 on Friday 01 03 2019



Wet snow



The avalanche conditions are generally favourable. Increase in avalanche danger as the day progresses.

Dry avalanches can in isolated cases be released in the old snowpack by large loads. This applies especially on very steep shady slopes between approximately 2000 and 2600 m in areas where the snow cover is rather shallow. The avalanche prone locations are very rare but are barely recognisable, even to the trained eye. Mostly avalanches are medium-sized. As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase. This applies on very steep southwest, south and southeast facing slopes. Avalanches can in isolated cases be released by small loads and reach medium size.

## Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 1: deep persistent weak layer

Outgoing longwave radiation during the night will be good. From early morning the weather will be sunny. The weather will be mild. The wind will be moderate. The surface of the snowpack will soften during the day. This applies on steep sunny slopes. Isolated avalanche prone weak layers exist in the bottom section of the snowpack, in particular on shady slopes between approximately 2000 and 2600 m.

## Tendency

Decrease in avalanche danger as the temperature drops.