


Avalanche Forecast

Tuesday 19 03 2019


Published 18 03 2019, 17:00



Avalanche.report



Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Wednesday 20 03 2019



Wind-drifted
snow



Fresh wind slabs require caution. Slight increase in danger as a consequence of warming during the day and solar radiation.

The snow sport conditions outside marked and open pistes are generally favourable. The fresh wind slabs represent the main danger. They can in some places be released, even by a single winter sport participant, but they will be small in most cases. The avalanche prone locations are to be found in particular on very steep northeast, north and northwest facing slopes above approximately 2200 m, especially adjacent to ridgelines and in pass areas. They are clearly recognisable to the trained eye. At elevated altitudes the avalanche prone locations will become more prevalent. At elevated altitudes the likelihood of avalanches being released is greater. In addition a latent danger of gliding avalanches exists. This applies in particular on steep sunny slopes.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


dp 2: gliding snow

Over a wide area 5 to 10 cm of snow. fell. The wind will be light. Fresh wind slabs are lying on soft layers on northwest to north to northeast facing aspects above approximately 2200 m. They are in some cases prone to triggering. The somewhat older wind slabs have bonded well with the old snowpack. The old snowpack will be stable over a wide area. The old snowpack will be wet all the way through at low and intermediate altitudes.

Tendency

Decrease in avalanche danger.

Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Wednesday 20 03 2019



Wind-drifted
snow



Fresh wind slabs require caution. Slight increase in danger as a consequence of warming during the day and solar radiation.

The snow sport conditions outside marked and open pistes are generally favourable. The fresh wind slabs represent the main danger. They can in some places be released, even by a single winter sport participant, but they will be small in most cases. The avalanche prone locations are to be found in particular on very steep northeast, north and northwest facing slopes above approximately 2200 m, especially adjacent to ridgelines and in pass areas. They are clearly recognisable to the trained eye. At elevated altitudes the avalanche prone locations will become more prevalent. At elevated altitudes the likelihood of avalanches being released is greater. As a consequence of warming during the day and the solar radiation, the likelihood of natural loose snow slides being released will increase a little on extremely steep sunny slopes. In addition a latent danger of gliding avalanches exists. This applies in particular on steep sunny slopes.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


dp 2: gliding snow

Over a wide area 10 to 20 cm of snow, and even more in some localities, fell. The wind will be light. Fresh wind slabs are lying on soft layers on northwest to north to northeast facing aspects above approximately 2200 m. They are in some cases prone to triggering. The somewhat older wind slabs have bonded well with the old snowpack. The old snowpack will be stable over a wide area. The old snowpack will be wet all the way through at low and intermediate altitudes.

Tendency

Decrease in avalanche danger.

Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Wednesday 20 03 2019



Wind-drifted
snow



Fresh wind slabs require caution. Slight increase in danger as a consequence of warming during the day and solar radiation.

The snow sport conditions outside marked and open pistes are generally favourable. The fresh wind slabs represent the main danger. They can in some places be released, even by a single winter sport participant, but they will be small in most cases. The avalanche prone locations are to be found in particular on very steep northeast, north and northwest facing slopes above approximately 2200 m, especially adjacent to ridgelines and in pass areas. They are clearly recognisable to the trained eye. At elevated altitudes the avalanche prone locations will become more prevalent. At elevated altitudes the likelihood of avalanches being released is greater. As a consequence of warming during the day and the solar radiation, the likelihood of natural loose snow slides being released will increase a little on extremely steep sunny slopes.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

Over a wide area 10 to 20 cm of snow, and even more in some localities, fell. The wind will be light. Fresh wind slabs are lying on soft layers on northwest to north to northeast facing aspects above approximately 2200 m. They are in some cases prone to triggering. The somewhat older wind slabs have bonded well with the old snowpack. The old snowpack will be stable over a wide area. The old snowpack will be wet all the way through at low and intermediate altitudes.

Tendency

Decrease in avalanche danger.