



AM




PM




Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Sunday 31 03 2019


PM:



Tendency: Constant avalanche danger →
 on Sunday 31 03 2019



Wet snow



Gliding snow



A clear night will be followed in the early morning by quite favourable avalanche conditions generally, but the danger of wet and gliding avalanches will increase later.

The avalanche conditions are spring-like. In the late morning a low avalanche danger will be encountered over a wide area. In steep terrain there is a danger of falling on the hard snow surface, caution is to be exercised on steep sunny slopes.

Midday and afternoon:

As a consequence of warming during the day and solar radiation there will be an increase in the danger of gliding avalanches and wet snow slides to level 2 (moderate). The avalanche prone locations are to be found in particular on very steep sunny slopes below approximately 2600 m.

Snowpack

Danger patterns

dp 10: springtime scenario

dp 2: gliding snow


The old snowpack will be stable over a wide area. The wind slabs of the last few days have bonded well with the old snowpack. Outgoing longwave radiation during the night will be good. The surface of the snowpack will freeze to form a strong crust and will soften during the day. This applies in all aspects at intermediate altitudes as well as on sunny slopes below approximately 2800 m. At low altitude hardly any snow is lying.

Tendency

The backcountry and freeriding conditions remain favourable. Increase in danger of wet and gliding avalanches as the day progresses.


Danger Level 2 - Moderate

AM:




Tendency: Constant avalanche danger →
 on Sunday 31 03 2019

PM:



Tendency: Constant avalanche danger →
 on Sunday 31 03 2019



Wet snow



A clear night will be followed in the early morning by quite favourable avalanche conditions generally, but the danger of wet avalanches will increase later.

The avalanche conditions are spring-like. In the late morning a low avalanche danger will be encountered over a wide area. In steep terrain there is a danger of falling on the hard snow surface, caution is to be exercised on steep sunny slopes.

Midday and afternoon:

As a consequence of warming during the day and solar radiation there will be an increase in the danger of moist and wet snow slides to level 2 (moderate). The avalanche prone locations are to be found in particular on very steep sunny slopes below approximately 2600 m.

Snowpack

Danger patterns

dp 10: springtime scenario


The old snowpack will be stable over a wide area. The wind slabs of the last few days have bonded well with the old snowpack. Outgoing longwave radiation during the night will be good. The surface of the snowpack will freeze to form a strong crust and will soften during the day. This applies in all aspects at intermediate altitudes as well as on sunny slopes below approximately 3000 m. At low altitude hardly any snow is lying.

Tendency

The backcountry and freeriding conditions remain favourable. Increase in danger of wet snow slides as the day progresses.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Sunday 31 03 2019




Wind-drifted
 snow



2600m

PM:



2600m


Tendency: Constant avalanche danger →
 on Sunday 31 03 2019



Wet snow



2600m



Gliding snow



2600m

In the early morning a low avalanche danger will be encountered over a wide area. As the day progresses as a consequence of warming during the day and solar radiation there will be an increase in the avalanche danger.

The no longer entirely fresh wind slabs of the last few days can be released by a single winter sport participant in isolated cases on very steep shady slopes above approximately 2600 m. Individual avalanche prone locations are to be found in particular adjacent to ridgelines and in pass areas. In high Alpine regions avalanche prone locations are a little more prevalent. The avalanche prone locations are easy to recognise. Mostly the avalanches are only small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Midday and afternoon:

As a consequence of warming during the day and solar radiation there will be an increase in the danger of gliding avalanches and wet snow slides to level 2 (moderate). The avalanche prone locations are to be found in particular on very steep sunny slopes below approximately 2600 m.

Snowpack

Danger patterns

dp 10: springtime scenario

dp 6: cold, loose snow and wind

The no longer entirely fresh wind slabs of the last few days have bonded quite well with the old snowpack. They are now only very rarely prone to triggering. Outgoing longwave radiation during the night will be good. The surface of the snowpack will freeze to form a strong crust and will soften during the day. This applies in all aspects at intermediate altitudes as well as on sunny slopes below approximately 2800 m. At low altitude hardly any snow is lying. The old snowpack will be stable over a wide area.



Tendency

The backcountry and freeriding conditions remain favourable. Increase in danger of wet and gliding avalanches as the day progresses.

