
# Saturday 27 04 2019

Published 26 04 2019, 17:00












# **Danger Level 3 - Considerable**



## Backcountry touring calls for extensive experience and restraint.

As a consequence of fresh snow and a strong southerly wind, deep wind slabs formed in the last three days in these regions. The avalanche prone locations are to be found in all aspects above approximately 2000 m. Bases of rock walls are especially precarious. Backcountry touring calls for experience in the assessment of avalanche danger and restraint. On wind-loaded slopes and from starting zones at higher altitudes dry and moist avalanches are possible, even large ones in isolated cases. As the day progresses as a consequence of warming during the day and solar radiation there will be a gradual increase in the danger of moist and wet avalanches. Single skiers can release avalanches in many places, including dangerously large ones. The avalanche prone locations are quite prevalent and are barely recognisable because of the poor visibility.


# Snowpack

20 to 70 cm of snow. has fallen in the last three days above approximately 2400 m. As a consequence of a strong to storm force wind from southerly directions, deep wind slabs formed. The wind slabs are lying on soft layers in particular on steep shady slopes. Large-grained weak layers exist in the bottom section of the snowpack especially here. Outgoing longwave radiation during the night will be reduced over a wide area. The surface of the snowpack will only just freeze. In some cases fresh snow and wind slabs are lying on an old snowpack that is wet all the way through. This applies in particular on steep sunny slopes below approximately 3000 m as well as on shady slopes below approximately 2400 m.

# Tendency



# **Danger Level 3 - Considerable**



# Fresh wind slabs require caution. Moist and wet avalanches are possible even now.

The fresh snow must be evaluated with care and prudence above approximately 2400 m. Dry avalanches can be released, even by small loads in isolated cases and reach medium size. In some places they can release the moist old snow as well and reach large size in some cases. As a consequence of warming during the day, the likelihood of moist and wet avalanches being released will increase in particular below approximately 2400 m. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.


#### Snowpack

The old snowpack remains moist below approximately 2400 m. At low altitude no snow is lying. Isolated avalanche prone weak layers exist in the bottom section of the old snowpack on shady slopes, especially between approximately 1900 and 2400 m.

# Tendency



# **Danger Level 2 - Moderate**



As a consequence of warming during the day, the likelihood of wet loose snow avalanches being released will increase.

As a consequence of warming during the day, the likelihood of wet small and medium sized avalanches being released will increase in particular on north and northwest facing slopes at elevated altitudes.


#### Snowpack

The old snowpack will be wet all the way through at intermediate and high altitudes. In the Etschtal no snow is lying on south facing slopes.

# **Tendency**



## **Danger Level 2 - Moderate**



## Moist and wet avalanches are still possible.

The fresh snow must be evaluated with care and prudence in particular on northeast to north to northwest facing aspects above approximately 2400 m. Dry avalanches can in isolated cases be released, in particular by large loads and reach medium size. In some places they can release the moist old snow as well and reach large size in some cases. As a consequence of warming, the likelihood of moist and wet avalanches being released will increase in particular below approximately 2400 m. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls. In particular in regions neighbouring those that are subject to danger level 3 (considerable) avalanche prone locations are more prevalent and the danger is greater.


### Snowpack

The old snowpack remains moist below approximately 2400 m. At low altitude no snow is lying. Isolated avalanche prone weak layers exist in the bottom section of the old snowpack on shady slopes, especially between approximately 1900 and 2400 m.

# Tendency



# **Danger Level 1 - Low**



#### Wet small and medium sized avalanches.

As a consequence of warming during the day, the likelihood of wet small and medium sized avalanches being released will increase in particular on very steep shady slopes at intermediate and high altitudes. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

#### Snowpack

The old snowpack will be wet all the way through at intermediate and high altitudes. Only a little snow is lying on south facing slopes.

# **Tendency**

The backcountry touring conditions remain spring-like.