





### AM




### PM



## Danger Level 3 - Considerable

**AM:**




**Tendency: Decreasing avalanche danger**  
 on Thursday 02 05 2019



Wind-drifted snow



**PM:**



**Tendency: Decreasing avalanche danger**  
 on Thursday 02 05 2019



Wet snow



Wind-drifted snow



Moist loose snow avalanches and gliding avalanches are the main danger. Fresh and older wind slabs require caution.

As a consequence of warming during the day and the solar radiation, the likelihood of moist loose snow avalanches being released will increase appreciably in all aspects. These can penetrate even deep layers and reach large size in isolated cases.

In addition the fresh wind slabs in particular adjacent to ridgelines and at high altitudes are capable of being triggered even now, especially on very steep shady slopes above approximately 2600 m. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude. As a consequence of solar radiation individual natural avalanches are possible, in particular medium-sized ones, especially on very steep sunny slopes at high altitudes and in high Alpine regions.

A certain danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2600 m in all aspects.

### Snowpack

**Danger patterns**

dp 2: gliding snow

dp 6: cold, loose snow and wind

Over a wide area 40 to 80 cm of snow. has fallen in the last few days above approximately 1000 m. The wind was moderate to strong over a wide area. In some places fresh snow and wind slabs are lying on soft layers, in particular at high altitudes and in high Alpine regions on very steep shady slopes. Outgoing longwave radiation during the night will be quite good. The old snowpack will be wet all the way through at intermediate and high altitudes.

### Tendency




The backcountry touring conditions in the morning, after a clear night, are quite favourable.



## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wind-drifted snow




**PM:**



**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wet snow



Wind-drifted snow



### Loose snow avalanches and gliding avalanches are the main danger.

The backcountry touring conditions in the morning are quite favourable.

As a consequence of warming during the day and the solar radiation, the likelihood of loose snow avalanches being released will increase appreciably in all aspects. These can penetrate deep layers and reach large size in isolated cases. In the event of solar radiation caution is to be exercised in particular in the regions exposed to heavier precipitation.

In addition the fresh wind slabs in particular adjacent to ridgelines in all aspects are capable of being triggered in some locations, especially on very steep shady slopes above approximately 2600 m. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude. Mostly avalanches are medium-sized. As a consequence of solar radiation individual natural avalanches are possible. This applies on very steep sunny slopes in high Alpine regions adjacent to ridgelines.

A latent danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2300 m in all aspects, also on steep sunny slopes below approximately 2600 m.

### Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 6: cold, loose snow and wind

Over a wide area 30 to 50 cm of snow, and even more in some localities, has fallen in the last few days above approximately 1000 m. The fresh wind slabs have bonded quite well with the old snowpack at intermediate and high altitudes. In some cases wind slabs are lying on soft layers. This applies in particular on very steep shady slopes above approximately 2600 m. Outgoing longwave radiation during the night will be quite good. The old snowpack will be wet all the way through at intermediate and high altitudes.

### Tendency




A clear night will be followed in the early morning by favourable conditions generally, but the danger of wet avalanches will increase later.



## Danger Level 2 - Moderate


AM:



**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wind-drifted snow



PM:



**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wet snow



Wind-drifted snow



Loose snow avalanches and gliding avalanches are the main danger.

The backcountry touring conditions in the morning are quite favourable.

As a consequence of warming during the day and the solar radiation, the likelihood of loose snow avalanches being released will increase appreciably in all aspects. These can penetrate deep layers and reach large size in isolated cases. In the event of solar radiation caution is to be exercised in particular in the regions exposed to heavier precipitation.

In addition the fresh wind slabs in particular adjacent to ridgelines in all aspects are capable of being triggered in some locations, especially on very steep shady slopes above approximately 2600 m. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude. Mostly avalanches are medium-sized. As a consequence of solar radiation individual natural avalanches are possible. This applies on very steep sunny slopes in high Alpine regions adjacent to ridgelines.

A latent danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2300 m in all aspects, also on steep sunny slopes below approximately 2600 m.

## Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 6: cold, loose snow and wind

Over a wide area 10 to 30 cm of snow, and even more in some localities, has fallen in the last few days above approximately 1000 m. The fresh wind slabs have bonded quite well with the old snowpack at intermediate and high altitudes. In some cases wind slabs are lying on soft layers. This applies in particular on very steep shady slopes above approximately 2800 m. Outgoing longwave radiation during the night will be quite good. The old snowpack will be wet all the way through at intermediate and high altitudes.

## Tendency



The avalanche conditions in the morning are favourable. Moist and wet avalanches as the day progresses.



## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wet snow



**PM:**



**Tendency: Constant avalanche danger** →  
 on Thursday 02 05 2019



Wet snow



Loose snow avalanches and gliding avalanches are the main danger.

A moderate (level 2) danger of moist loose snow avalanches exists. As a consequence of warming during the day and the solar radiation, the likelihood of loose snow avalanches being released will increase appreciably in all aspects. These can penetrate deep layers and reach medium size. In the event of prolonged bright spells caution is to be exercised in particular.

In addition a latent danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2300 m in all aspects, also on steep sunny slopes below approximately 2600 m.

### Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 6: cold, loose snow and wind

Over a wide area 30 to 50 cm of snow, and even more in some localities, has fallen in the last few days above approximately 1000 m. The fresh wind slabs have bonded well with the old snowpack. Outgoing longwave radiation during the night will be severely restricted. The old snowpack will be wet all the way through at intermediate and high altitudes.

### Tendency

A clear night will be followed in the early morning by favourable conditions generally, but the danger of wet avalanches will increase later.