
Tuesday 21 01 2020

Published 20 01 2020, 17:00










Tuesday 21 01 2020

Published 20 01 2020, 17:00



Danger Level 2 - Moderate



Wind slabs at high altitudes and in high Alpine regions.

The clearly visible wind slabs of the last few days must be evaluated with care and prudence in particular on northwest to north to northeast facing aspects above approximately 2400 m. They can be released by a single winter sport participant in some cases. Adjacent to ridgelines avalanches can be triggered in deep layers of the snowpack and reach medium size in some cases. Apart from the danger of being buried, restraint should be exercised in view of the danger of avalanches sweeping people along and giving rise to falls. In steep terrain there is a danger of falling on the hard snow surface.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

The fresh snow and wind slabs are lying on the unfavourable surface of an old snowpack in particular on shady slopes. Faceted weak layers exist in the snowpack in particular here. The snowpack will be subject to considerable local variations.

Tendency


Fresh wind slabs are to be evaluated with care and prudence. Decrease in danger of dry avalanches.

Tuesday 21 01 2020

Published 20 01 2020, 17:00



Danger Level 2 - Moderate



Wind slabs at high altitudes and in high Alpine regions.

The clearly visible wind slabs of the last few days must be evaluated with care and prudence in particular on west to north to east facing aspects above the tree line. They can be released by a single winter sport participant in some cases. Adjacent to ridgelines avalanches can be triggered in deep layers of the snowpack and reach medium size in some cases. Apart from the danger of being buried, restraint should be exercised in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

The fresh snow and wind slabs are lying on the unfavourable surface of an old snowpack in particular on shady slopes. Faceted weak layers exist in the snowpack in particular here. The snowpack will be subject to considerable local variations.

Tendency

Fresh wind slabs are to be evaluated with care and prudence. Decrease in danger of dry avalanches.