








## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
 on Saturday 25 01 2020



Wind-drifted  
 snow



Gliding snow



### Wind slabs at high altitudes and in high Alpine regions.

The clearly visible wind slabs of the last few days must be evaluated with care and prudence in particular on northwest to north to northeast facing aspects above approximately 2400 m. They can be released, especially by large additional loads,. Apart from the danger of being buried, restraint should be exercised in view of the danger of avalanches sweeping people along and giving rise to falls. As a consequence of warming, the likelihood of gliding avalanches being released will increase gradually in particular below approximately 2000 m.

### Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind

dp 2: gliding snow


Faceted weak layers exist in the snowpack especially above approximately 2400 m. In addition the rather small wind slabs of the last few days in particular adjacent to ridgelines and in gullies and bowls and generally in the high Alpine regions are prone to triggering in some cases still. The snowpack will be subject to considerable local variations.

### Tendency

Decrease in danger of dry avalanches. Gliding avalanches are possible.




## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
 on Saturday 25 01 2020



Wind-drifted  
 snow



Gliding snow



**Dry avalanches and gliding avalanches are still possible in isolated cases.**

The clearly visible wind slabs of the last few days must be evaluated with care and prudence in particular on northwest to north to northeast facing aspects above the tree line. They can be released in isolated cases, but mostly only by large additional loads, above approximately 2400 m. Apart from the danger of being buried, restraint should be exercised in view of the danger of avalanches sweeping people along and giving rise to falls. As a consequence of warming, the likelihood of gliding avalanches being released will increase gradually in particular below approximately 2000 m.

## Snowpack

### Danger patterns

dp 6: cold, loose snow and wind

dp 2: gliding snow

Faceted weak layers exist in the snowpack especially above approximately 2400 m. In addition the rather small wind slabs of the last few days in particular adjacent to ridgelines and in gullies and bowls and generally in the high Alpine regions are prone to triggering in some cases still. The snowpack will be subject to considerable local variations.

## Tendency

Decrease in danger of dry avalanches. Gliding avalanches are possible.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Saturday 25 01 2020



Wind-drifted  
snow



2400m

The backcountry touring conditions are generally favourable. Wind slabs require caution.

The somewhat older wind slabs are to be avoided in particular in extreme terrain. Mostly avalanches are only small and can be released by large loads. At high altitudes and in high Alpine regions avalanche prone locations are a little more prevalent. Adjacent to ridgelines avalanches can be triggered in deep layers of the snowpack and reach medium size in some cases. Apart from the danger of being buried, restraint should be exercised in view of the danger of avalanches sweeping people along and giving rise to falls. In steep terrain there is a danger of falling on the hard snow surface.

## Snowpack

### Danger patterns

dp 6: cold, loose snow and wind

The snowpack will be generally stable. In particular shady slopes where hard layers are lying on a weakly bonded old snowpack are unfavourable. Such avalanche prone locations are rather rare but are barely recognisable, even to the trained eye.

## Tendency

The conditions are mostly favourable for snow sport activities outside marked and open pistes. Wind slabs require caution.