



## Danger Level 3 - Considerable



**Tendency: Increasing avalanche danger**  
on Tuesday 03 03 2020



Wind-drifted  
snow



Treeline

### Gradual increase in avalanche danger as a consequence of the snowfall.

As a consequence of a moderate wind, further wind slabs will form. They are in some cases prone to triggering. They can be released even by a single winter sport participant in all aspects. This applies in particular at their margins. Mostly the avalanches are medium-sized. In regions with a lot of snow avalanche prone locations are more prevalent and the danger is greater. The avalanche prone locations are sometimes covered with fresh snow and are barely recognisable because of the poor visibility. Avalanches can also penetrate deep layers and reach dangerously large size.

### Snowpack

#### Danger patterns

dp 6: cold, loose snow and wind

Some snow will fall over a wide area. As the day progresses the wind slabs will increase in size additionally. In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. Faceted weak layers exist in the old snowpack. The old snowpack will be in some cases prone to triggering. Distinct weak layers in the lower part of the snowpack can be released in some places.

### Tendency

Rapid increase in avalanche danger as the snowfall becomes more intense.

## Danger Level 2 - Moderate



**Tendency: Increasing avalanche danger**  
on Tuesday 03 03 2020



Wind-drifted  
snow



Treeline

Gradual increase in danger as a consequence of fresh snow and strong wind.

As a consequence of fresh snow and a strong wind, further wind slabs will form over a wide area. The wind slabs are in isolated cases prone to triggering. The avalanche prone locations are to be found in particular on northwest to north to east facing wind-loaded slopes, especially in gullies and bowls, and behind abrupt changes in the terrain. The avalanche prone locations are sometimes covered with fresh snow and are barely recognisable because of the poor visibility. Avalanches can be released in the weakly bonded old snow also.

### Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind

Some snow will fall over a wide area. In some places fresh snow and wind slabs are lying on soft layers. The snowpack will be subject to considerable local variations. Individual weak layers exist deep in the snowpack on shady slopes.

### Tendency

Rapid increase in avalanche danger as the snowfall becomes more intense.