
Tuesday 10 03 2020


Published 09 03 2020, 17:00



AM



PM










Treeline



Fresh wind slabs require caution.

As a consequence of fresh snow and a sometimes strong wind from northerly directions, mostly small wind slabs will form as the day progresses. Caution is to be exercised in particular on very steep slopes in particular above the tree line adjacent to ridgelines. In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent and larger.

Treeline

As the snowfall level rises there will be an increase in the danger of moist and wet avalanches. Small and medium-sized natural wet avalanches are possible as a consequence of the rain.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


5 to 10 cm of snow, and even more in some localities, will fall. The sometimes strong wind will transport the fresh snow. In some places fresh snow and wind slabs are lying on soft layers, especially on shady slopes above approximately 2200 m. The older wind slabs have bonded well with the old snowpack.

Tendency

As a consequence of warming, the likelihood of moist and wet avalanches being released will increase for a while.



Danger Level 2 - Moderate



Fresh wind slabs require caution, especially above approximately 2200 m adjacent to ridgelines.

As a consequence of fresh snow and a sometimes strong wind from northerly directions, mostly small wind slabs will form. Caution is to be exercised in particular on very steep slopes above approximately 2200 m adjacent to ridgelines. These avalanche prone locations are rather rare and are clearly recognisable to the trained eye. As the day progresses as a consequence of warming there will be a gradual increase in the danger of moist and wet avalanches.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

In some localities up to 5 cm of snow. will fall. The sometimes strong wind will transport the fresh snow. In some places fresh snow and wind slabs are lying on soft layers, especially on shady slopes above approximately 2200 m. The older wind slabs have bonded well with the old snowpack. In very isolated cases weak layers exist in the old snowpack on shady slopes, in particular in areas where the snow cover is rather shallow.

Tendency

As a consequence of warming, the likelihood of moist and wet avalanches being released will increase for a while.