





## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 21 12 2020



Persistent weak layer



Weak layers in the lower part of the snowpack necessitate defensive route selection.

Distinct weak layers in the lower part of the snowpack can be released by individual winter sport participants. Caution is to be exercised in particular on steep shady slopes above approximately 2200 m, as well as on steep sunny slopes above approximately 3000 m, especially in areas where the snow cover is rather shallow, as well as at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. Avalanches can be triggered in the faceted old snow and reach a dangerous size. These avalanche prone locations are difficult to recognise. In the regions with a lot of snow the situation is more favourable.

As a consequence of a moderate to strong wind, mostly small wind slabs formed in isolated cases. This applies especially on very steep shady slopes in the regions that are exposed to the foehn wind. The current avalanche situation calls for meticulous route selection.

## Snowpack

### Danger patterns

dp.1: deep persistent weak layer

dp.7: snow-poor zones in snow-rich surrounding

Steep shady slopes: The old snowpack will be prone to triggering in some places. Towards its surface, the snowpack is fairly homogeneous and has a loosely bonded surface. Towards its base, the snowpack is faceted and weak. Released avalanches and stability tests confirm the unfavourable bonding of the snowpack. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack. As a consequence of a moderate to strong wind, mostly small wind slabs formed in particular adjacent to ridgelines.

Very steep sunny slopes as well as low and intermediate altitudes: The snowpack is largely stable and its surface has a melt-freeze crust that is strong in many cases.


East and west facing slopes: The snowpack is largely stable and its surface has a melt-freeze crust that is not capable of bearing a load. Faceted weak layers exist deep in the snowpack above approximately 3000 m.

## Tendency


The avalanche danger will persist.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 21 12 2020



Gliding snow



Caution is to be exercised in areas with glide cracks.

The danger of gliding avalanches will persist. On very steep grassy slopes and on sunny slopes more gliding avalanches are possible, even quite large ones. Areas with glide cracks are to be avoided.

Fresh and somewhat older wind slabs can be released in isolated cases on very steep shady slopes in high Alpine regions. This applies in particular adjacent to ridgelines.

## Snowpack

### Danger patterns

dp.2: gliding snow

As a consequence of mild temperatures the snowpack settled. The snowpack is largely stable and its surface has a melt-freeze crust that is strong in many cases, in particular on very steep sunny slopes, as well as at low and intermediate altitudes. East and west facing slopes: The surface of the snowpack is frozen, but not to a significant depth.


Towards its base, the snowpack is faceted. This applies on steep shady slopes above the tree line, as well as on sunny slopes in high Alpine regions.

## Tendency

The avalanche danger will persist.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Monday 21 12 2020

### Low, level 1.

Low, level 1. At low and intermediate altitudes from a snow sport perspective, in most cases insufficient snow is lying.

### Snowpack


At low and intermediate altitudes hardly any snow is lying. At higher altitudes a little snow is lying. The snowpack is largely stable.

### Tendency

A generally favourable avalanche situation will prevail.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Monday 21 12 2020

The avalanche conditions are mostly favourable.

Fresh and somewhat older wind slabs can be released in isolated cases on very steep shady slopes in high Alpine regions. This applies especially adjacent to ridgelines. They are mostly only small.

On very steep grassy slopes and on sunny slopes only isolated gliding avalanches are possible. Areas with glide cracks are to be avoided.

### Snowpack

As a consequence of mild temperatures the snowpack settled. The snowpack is largely stable and its surface has a melt-freeze crust that is strong in many cases, in particular on very steep sunny slopes, as well as at low and intermediate altitudes. East and west facing slopes: The surface of the snowpack is frozen, but not to a significant depth.

Towards its base, the snowpack is faceted. This applies on shady slopes above the tree line, as well as on sunny slopes in high Alpine regions.

As a consequence of a sometimes strong wind, mostly small wind slabs formed in particular adjacent to ridgelines.

### Tendency

The avalanche conditions are mostly favourable.