
Published 16 02 2021, 17:00










Published 16 02 2021, 17:00



### **Danger Level 2 - Moderate**



#### Wind slabs and weakly bonded old snow require caution.

As a consequence of a moderate to strong wind from northwesterly directions, easily released wind slabs formed. The avalanche prone locations are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain above the tree line. The number and size of avalanche prone locations will increase with altitude.

Avalanches can additionally in isolated cases be released in the weakly bonded old snow, in particular by large additional loads, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. These avalanche prone locations are rare but are barely recognisable, even to the trained eye. Slight increase in danger of moist avalanches as a consequence of warming during the day and solar radiation.

Gliding avalanches can also occur at any time. Areas with glide cracks are to be avoided as far as possible. Meticulous route selection is advisable.

#### Snowpack

**Danger patterns** dp.6: cold, loose snow and wind dp.7: snow-poor zones in snow-rich surrounding

In the north up to 10 cm of snow fell. The fresh and older wind slabs are lying on soft layers above approximately 2000 m. Avalanche prone weak layers exist in the centre of the snowpack. As a consequence of mild temperatures and solar radiation a crust will form on the surface during the night, in particular on steep sunny slopes below approximately 2400 m.


### Tendency

The weather conditions will bring about a slow stabilisation of the snow drift accumulations.

Published 16 02 2021, 17:00



### **Danger Level 2 - Moderate**



#### Wind slabs require caution.

As a consequence of new snow and a moderate to strong wind from westerly directions, mostly small wind slabs will form. The avalanche prone locations are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain above the tree line. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude.

Loose snow avalanches are to be expected as a consequence of solar radiation, in particular on extremely steep slopes.

Dry avalanches can additionally in isolated cases be released in the weakly bonded old snow, in particular by large additional loads, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example on very steep slopes. Such avalanche prone locations are to be found in particular on west to north to east facing aspects above approximately 2000 m.

## Snowpack

 Danger patterns
 dp.6: cold, loose snow and wind
 dp.7: snow-poor zones in snow-rich surrounding

Over a wide area 5 to 10 cm of snow will fall. The fresh wind slabs are lying on soft layers above the tree line.

Avalanche prone weak layers exist in the centre of the snowpack, especially between approximately 2000 and 2400 m on steep west, north and east facing slopes.


## Tendency

The weather conditions will bring about a slow stabilisation of the snow drift accumulations.

Published 16 02 2021, 17:00



### **Danger Level 2 - Moderate**



#### Wind slabs require caution.

The fresh wind slabs are in some cases prone to triggering above the tree line. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls. The avalanches are only small.

Loose snow avalanches are to be expected as a consequence of solar radiation, in particular on extremely steep slopes.

Weak layers in the old snowpack can be released in isolated cases and mostly by large additional loads, especially at high altitude in the Western Kitzbühel Alps.

#### Snowpack

Danger patterns

(dp.6: cold, loose snow and wind)

Over a wide area 5 to 10 cm of snow will fall. The sometimes strong wind will transport the new snow. As a consequence of rising temperatures the snow drift accumulations will stabilise during the next few days. Individual weak layers exist in the centre of the snowpack. At low altitude a little snow is lying.

## Tendency

The weather conditions will bring about a slow stabilisation of the snow drift accumulations.