# Monday 05.04.2021


Published 04 04 2021, 17:00



#### **AM**



#### **PM**



1 2 3 4 5 low moderate considerable high very high





## **Danger Level 2 - Moderate**





**Tendency: Increasing avalanche danger** on Tuesday 06 04 2021






weak layer

























### Increase in danger of wet avalanches in the course of the day.

A clear night will be followed in the early morning by favourable conditions over a wide area. Individual avalanche prone locations for dry avalanches are to be found on extremely steep shady slopes and at transitions from a shallow to a deep snowpack. In many places there is a danger of falling on the hard snow surface.

As the day progresses small and medium-sized wet avalanches are possible. Avalanche prone locations are to be found in particular on east, south and west facing slopes below approximately 2800 m and on north facing slopes below approximately 2200 m. Moist and wet avalanches can in isolated cases be released in near-surface layers by people.

Backcountry tours should be concluded timely.

### Snowpack

**Danger patterns** 

dp.10: springtime scenario

Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day.

Individual weak layers exist in the snowpack at high altitude, especially on near-ridge shady slopes, as well as at transitions from a shallow to a deep snowpack.

On southeast, south and southwest facing slopes as well as at intermediate altitudes hardly any snow is lying.

### **Tendency**

On Tuesday as a consequence of new snow and strong wind there will be an appreciable increase in the

# Avalanche.report Monday 05.04.2021


Published 04 04 2021, 17:00



danger of dry avalanches. The danger of wet avalanches will decrease.







#### Increase in danger of wet avalanches in the course of the day.

A clear night will be followed in the early morning by favourable conditions over a wide area. Individual avalanche prone locations for dry avalanches are to be found on extremely steep shady slopes and at transitions from a shallow to a deep snowpack. In many places there is a danger of falling on the hard snow surface.

As the day progresses small and medium-sized wet avalanches are possible. Avalanche prone locations are to be found in particular on east, south and west facing slopes below approximately 2800 m and on north facing slopes below approximately 2200 m. Moist and wet avalanches can in isolated cases be released in near-surface layers by people.

Backcountry tours should be concluded timely.

#### Snowpack

**Danger patterns** 

dp.10: springtime scenario

Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day. Above approximately 2800 m the snowpack will soften only marginally.

Individual weak layers exist in the snowpack at high altitudes and in high Alpine regions, especially on near-ridge shady slopes, as well as at transitions from a shallow to a deep snowpack.

### **Tendency**

On Tuesday as a consequence of new snow and strong wind there will be a significant increase in the danger of dry avalanches. The danger of wet avalanches will decrease.