




# AM





# PM



## Grad de perih 2 - Moderat


**AM:**



**Tendència: augment deth perih de lauegi**  
 enDissabte 24 04 2021



Coches fèbles  
 persistentes




**PM:**




**Tendència: augment deth perih de lauegi**  
 enDissabte 24 04 2021



Coches fèbles  
 persistentes



Nhèu umida



Nhèu umida



Lauegi fòrça umits ath long deth dia. Cochès febles persistentes  
 especiaument enes pales ombrères extrèmes.

A prumèra ora deth maitin i aurà generaument condicions de lauegi mès a lèu favorables, a compdar d'alavetz aumentarà eth perih de lauegi de nhèu fòrça umida. A consequència der augment dera temperatura diürna e era radiacion solara, ath long dera jornada son possibles lauegi de nhèu fòrça umida. Principaument enes pales soleienques escarpades per dejós des 2800 m aproximativament, e tanben enes pales ombrères arribentes per dejós des 2400 m aproximativament. Es excursions de montanha an de finalizar ara ora.

Ena part superiora deth mantèth de nhèu se tròben cochès febles inestables. Principaument enes pales ombrères extrèmament arribentes per dessus des 2400 m aproximativament. Es lauegi pòden en quauqui endrets desencadenar-se aumens per ua subrecarga fòrta e arténher mida mejana.

### Celh de nhèu

**Patrons de perih**

pp.10: scenari de primavera

Eth heiredament nocturn serà en quauqui casi fòrça bon. A compdar deth maitin eth solei e era calor causaràn especiaument enes pales soleienques arribentes per dejós des 2800 m aproximativament ua rapida umidificacion deth mantèth de nhèu. Açò s'aplique tanben enes pales ombrères arribentes per dejós des 2400 m aproximativament.



De cap ara superfície, era nhèu presente ua estratificacion desfavorabla. Sustot enes pales ombrères extrèmament arribentes per dessús des 2400 m aproximativament.

En còtes baishes non i a qu'un shinhau de nhèu.

## Tendéncia

A consegüència der augment dera temperatura diürna e era radiacion solara, augment deth perilh de lauegi umits e fòrça umits. Tanben en cas de desencadenaments originadi en zònes de gessuda ombrères.