


## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →

on Saturday 01 01 2022



Wind-drifted  
snow



2200m

### Fresh wind slabs represent the main danger.

The avalanche-prone wind slabs are to be avoided in all aspects above approximately 2200 m. Single winter sport participants can release avalanches easily. Mostly avalanches are medium-sized. The number and size of avalanche prone locations will increase with altitude. Caution is to be exercised in particular on steep shady slopes, as well as in the vicinity of peaks.

As a consequence of warming during the day and solar radiation loose snow avalanches are possible, especially on steep sunny slopes, as well as in steep rocky terrain.

Defensive route selection is recommended.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

Less snow than expected fell in the last few days over a wide area.


The sometimes storm force wind has transported the fresh and old snow significantly, especially at elevated altitudes. The warm fresh snow as well as the widespread wind slabs are in some cases still prone to triggering. In some cases the wind slabs have bonded still only poorly with each other and the old snowpack, in particular on steep shady slopes and at high altitudes and in high Alpine regions.

The snowpack will be generally subject to considerable local variations. Above the tree line snow depths vary greatly, depending on the influence of the wind. On sunny slopes below approximately 2200 m only a little snow is now lying.

### Tendency

Outgoing longwave radiation during the night will be good over a wide area. On Saturday it will be exceptionally warm. The wind will be moderate over a wide area. As a consequence of mild temperatures the snow drift accumulations will stabilise during the next few days.

## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →

on Saturday 01 01 2022



Wind-drifted  
snow



### Fresh wind slabs require caution.

The fresh wind slabs can in some places be released by a single winter sport participant. These are lying on the unfavourable surface of an old snowpack in particular on shady slopes above approximately 2200 m. They are to be avoided as far as possible. In isolated cases avalanches are medium-sized. The number and size of avalanche prone locations will increase with altitude. Caution is to be exercised in the vicinity of peaks, as well as adjacent to ridgelines. The avalanche prone locations are easy to recognise.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

The sometimes storm force wind has transported the fresh and old snow, especially at elevated altitudes. The fresh wind slabs are in some cases prone to triggering. In some cases the wind slabs have bonded still only poorly with each other and the old snowpack, in particular on steep shady slopes and at high altitudes and in high Alpine regions.

The snowpack will be generally subject to considerable local variations. Above the tree line snow depths vary greatly, depending on the influence of the wind. On sunny slopes below approximately 2200 m only a little snow is now lying.

### Tendency

Outgoing longwave radiation during the night will be good over a wide area. On Saturday it will be exceptionally warm. The wind will be moderate over a wide area. As a consequence of mild temperatures the snow drift accumulations will stabilise during the next few days.