




Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Wednesday 02 03 2022



Fresh wind slabs represent the main danger.

The fresh wind slabs are in some cases prone to triggering. They can be released by a single winter sport participant especially on steep shady slopes above approximately 2200 m. The mostly small wind slabs are clearly recognisable to the trained eye. At elevated altitudes the avalanche prone locations are more prevalent, in particular adjacent to ridgelines.

Avalanches can in very isolated cases be released in the old snowpack, in particular by large additional loads. Caution is to be exercised in particular at transitions from a shallow to a deep snowpack on extremely steep shady slopes at elevated altitudes. The avalanche prone locations are but are barely recognisable.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.7: snow-poor zones in snow-rich surrounding



As a consequence of the occasionally strong wind, fresh snow drift accumulations formed during the last few days. The fresh wind slabs are poorly bonded with the old snowpack especially on wind-protected shady slopes at elevated altitudes.

Faceted weak layers exist in the centre of the snowpack. The old snowpack will be prone to triggering in some places, especially in little used terrain on very steep shady slopes.

Tendency

The avalanche danger will decrease gradually. Individual avalanche prone locations are to be found in particular on steep, little used shady slopes.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →

on Wednesday 02 03 2022

Weakly bonded old snow. Fresh wind slabs.

Avalanches can in some places be released in the weakly bonded old snow, in particular by large additional loads. This applies especially on very steep shady slopes between approximately 2200 and 2600 m in little used terrain. Individual avalanche prone locations are to be found also adjacent to ridgelines above approximately 2600 m. Caution is to be exercised in particular at transitions from a shallow to a deep snowpack, as well as in areas where the snow cover is rather shallow. Mostly avalanches are medium-sized. In addition the fresh wind slabs of the last few days at elevated altitudes are prone to triggering in some cases. They can be released by a single winter sport participant especially on steep shady slopes above approximately 2200 m. At elevated altitudes the avalanche prone locations are more prevalent, in particular adjacent to ridgelines. Wind slabs are easy to recognise. They are to be avoided as far as possible.

Snowpack

Danger patterns

dp.7: snow-poor zones in snow-rich surrounding

dp.6: cold, loose snow and wind

In its middle, the snowpack is faceted and weak, especially on shady slopes between approximately 2200 and 2600 m, but in isolated cases also in areas where the snow cover is rather shallow adjacent to ridgelines above approximately 2600 m. Along the border with Switzerland and in the Schober Mountains the snowpack is more prone to triggering.

As a consequence of the occasionally strong wind, fresh snow drift accumulations formed. These are poorly bonded with the old snowpack especially on wind-protected shady slopes and in high Alpine regions. They are mostly small.

Tendency

The weather conditions will give rise to gradual consolidation of the snowpack. Dry avalanches can in very isolated cases be released in the old snowpack and reach medium size.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Wednesday 02 03 2022

Fresh wind slabs require caution.

The rather small wind slabs of the last few days are in some cases prone to triggering in particular on very steep shady slopes at elevated altitudes. They are clearly recognisable to the trained eye. Caution is to be exercised in particular adjacent to ridgelines.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.7: snow-poor zones in snow-rich surrounding

As a consequence of the occasionally strong wind, fresh snow drift accumulations formed. These are poorly bonded with the old snowpack especially on wind-protected shady slopes.

Tendency

A quite favourable avalanche situation will be encountered over a wide area.