





AM



PM



Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

PM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

Wind slabs at high altitudes and in high Alpine regions. Wet avalanches as the day progresses.

The fresh wind slabs of the weekend are in some cases still prone to triggering. They are to be evaluated with care and prudence in particular on steep shady slopes above approximately 2600 m. The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls. The number and size of avalanche prone locations will increase with altitude. The wind slabs are to be avoided in particular in very steep terrain.

From midday as a consequence of warming during the day and solar radiation there will be a gradual increase in the danger of wet avalanches. On extremely steep slopes natural loose snow slides are to be expected, especially in case of releases originating from sunny starting zones.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.6: cold, loose snow and wind

Over a wide area 10 to 20 cm of snow, and even more in some localities, has fallen since Friday above approximately 2000 m. The sometimes storm force wind has transported the new snow and, in some cases, old snow as well. The fresh wind slabs have settled a little. They are in some cases still prone to triggering at elevated altitudes.

On Monday it will be very mild. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack.

Tendency

The conditions are spring-like. The weather will be very mild. Increase in danger of wet avalanches as a



consequence of warming during the day and solar radiation.


Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

PM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

The early morning will see favourable conditions generally, but the danger of wet avalanches will increase later.

The early morning will see quite favourable conditions mostly. The clearly visible wind slabs of the weekend are in individual cases still prone to triggering in particular on steep shady slopes above approximately 2600 m. Mostly avalanches are only small. Wind slabs are to be bypassed especially in terrain where there is a danger of falling.

During the day: From midday as a consequence of warming during the day and solar radiation there will be an increase in the danger of wet avalanches. On extremely steep sunny slopes natural loose snow slides are possible.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.6: cold, loose snow and wind

The wind slabs have bonded quite well with the old snowpack. They are in individual cases still prone to triggering at elevated altitudes.

On Monday it will be very mild. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack. The new snow of the weekend can be released naturally in particular on extreme sunny slopes.

Tendency

The conditions are spring-like. Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 1 - Low

AM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

PM:



Tendency: Constant avalanche danger →
on Tuesday 12 04 2022

The conditions are spring-like. Wet snow requires caution.

The early morning will see favourable conditions generally. From midday as a consequence of warming during the day and solar radiation there will be a gradual increase in the danger of wet snow slides.

The wind slabs of the weekend are now only very rarely prone to triggering.

Snowpack

Danger patterns

dp.10: springtime scenario

In all aspects as well as in all altitude zones only a little snow is now lying.

The surface of the snowpack has frozen to form a strong crust and will soften during the day.

The wind slabs have bonded well with the old snowpack.

Tendency

The conditions are spring-like. Slight increase in danger of moist snow slides as a consequence of warming during the day and solar radiation.