AM

PM





Danger Level 2 - Moderate

AM:

Tendenc: onstant avalanche danger
on riday 2 03 2022

PM:

200m

Tendenc: onstant avalanche danger
on riday 2 03 2022

200m

et sno

The conditions are spring-lie.

A clear night ill be folloed in the early morning by favourable conditions generally. As the day progresses as a consequence of arming during the day and solar radiation there ill be an increase in the avalanche danger. Small to medium-sized et and gliding avalanches are possible, especially on steep east, south and est facing slopes belo approximately 2600 m, as ell as in all aspects at intermediate altitudes.
et avalanches can in some places be released by people.
accountry tours should be started early and concluded timely. There is a danger of falling on the hard sno surface.

Snopac

Danger patterns dp.10: springtime scenario

Outgoing longave radiation during the night ill be good over a ide area. The surface of the snopac ill freeze to form a strong crust and ill soften during the day. Sunshine and high temperatures ill give rise as the day progresses to softening of the snopac in particular on steep sunny slopes belo approximately 2600 m.
n particular in the south less sno than usual is lying.

Tendency

The conditions remain spring-lie. ncrease in danger of et avalanches in the course of the day.

> Les conditions sont printanières. Augmentation du danger d'avalanches mouillées avec le réchauffement diurne et le rayonnement solaire.

Degré de danger 1 - Faible

AM:



Tendance: danger d'avalanche constant
leMercredi 13 04 2022

PM:

Tendance: danger d'avalanche constant
leMercredi 13 04 2022

Avalanches mouillées (Neige humide)

Les conditions sont printanières.

On ne trouve plus que peu de neige. Le matin, il règne généralement des conditions favorables. Avec le réchauffement diurne et le rayonnement solaire des coulées humides sont possibles.

Manteau neigeux

Modèles de danger md.10: situation de printemps

À toutes les expositions ainsi qu'à toutes les altitudes on ne trouve plus que peu de neige.
La surface de la neige est gelée et porteuse et se ramollit plus vite que la veille.
Les accumulations de neige soufflée petites de la fin de semaine se sont bien liées avec la neige ancienne.

Tendance

Les conditions sont printanières. Augmentation légère du danger de coulées humides avec le réchauffement diurne et le rayonnement solaire.