




Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Friday 29 04 2022

The fresh snow of the last few days and in particular the wind slabs represent the main danger. As the day progresses as a consequence of warming during the day and solar radiation there will be an increase in the danger of moist and wet avalanches to level 2 (moderate).

The more recent wind slabs are mostly small. The avalanche prone locations are to be found in particular on shady slopes in high Alpine regions. The wind slabs are to be avoided in particular in very steep terrain. The danger of wet avalanches during the day will increase from midday. As a consequence of warming during the day and solar radiation moist and wet avalanches are possible, but they will be mostly small, especially on steep sunny slopes.

Snowpack

Outgoing longwave radiation during the night will be good. The surface of the snowpack has frozen to form a strong crust. The weather conditions will bring about a weakening of the near-surface layers as the day progresses in particular on steep sunny slopes.

In all regions only a small amount of snow is lying for the time of year. At low and intermediate altitudes from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

Moderate avalanche danger will persist.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Friday 29 04 2022

The backcountry touring conditions are favourable.

The more recent wind slabs are mostly small and unlikely to be released now. Individual avalanche prone locations are to be found on near-ridge shady slopes in high Alpine regions. The wind slabs are to be avoided in particular in terrain where there is a danger of falling.

The avalanche danger will increase a little during the day. As a consequence of warming during the day and solar radiation individual moist loose snow avalanches are possible, especially on extremely steep sunny slopes at high altitudes and in high Alpine regions.

Snowpack

The new snow of the last few days has bonded well with the old snowpack. Outgoing longwave radiation during the night will be good. The surface of the snowpack has frozen to form a strong crust. The weather conditions will bring about a slight weakening of the near-surface layers as the day progresses in particular on very steep sunny slopes.

In all regions only a small amount of snow is lying for the time of year. At low and intermediate altitudes from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

Low avalanche danger will persist.