
Saturday 30.04.2022

Updated 29 04 2022, 17:00









Saturday 30.04.2022

Updated 29 04 2022, 17:00



Danger Level 2 - Moderate





Tendency: Constant avalanche danger on Sunday 01 05 2022

 \longrightarrow

As the day progresses as a consequence of warming there will be only a slight increase in the danger of moist and wet avalanches.

The weather conditions will facilitate a gradual weakening of the snowpack as the day progresses. On very steep slopes individual moist snow slides and avalanches are possible, but they will be mostly small, especially at high altitudes and in high Alpine regions. The avalanche prone locations are to be found in all aspects in high Alpine regions and in gullies and bowls in all altitude zones. Fresh and somewhat older wind slabs are mostly small. These are to be avoided in particular in very steep terrain. In some localities 5 to 10 cm of snow will fall in the evening above approximately 2000 m.

Snowpack

Danger patterns

dp.10: springtime scenario

Outgoing longwave radiation during the night will be good, especially at intermediate and high altitudes. The weather conditions will bring about a weakening of the near-surface layers as the day progresses in particular on steep sunny slopes.

In all regions only a small amount of snow is lying for the time of year. At low and intermediate altitudes only a little snow is lying.

Tendency

Slight increase in avalanche danger as a consequence of the new snow.

Saturday 30.04.2022

Updated 29 04 2022, 17:00



Danger Level 1 - Low





Tendency: Constant avalanche danger on Sunday 01 05 2022

\rightarrow

The backcountry touring conditions are spring-like.

The old wind slabs are mostly small and unlikely to be released now. As a consequence of warming during the day and the solar radiation, the likelihood of moist loose snow avalanches being released will increase a little. Individual avalanche prone locations are to be found in particular in steep terrain at high altitudes and in high Alpine regions and in gullies and bowls in all altitude zones.

Snowpack

Outgoing longwave radiation during the night will be reduced, also at intermediate and high altitudes. The weather conditions will bring about a gradual weakening of the snowpack as the day progresses in all aspects.

In all regions only a small amount of snow is lying for the time of year. At low and intermediate altitudes no snow is lying. In some localities in some localities up to 10 cm of snow will fall in the evening above approximately 2000 m.

Tendency

Slight increase in avalanche danger as a consequence of the new snow.