

Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
 on Tuesday 17 01 2023



Persistent weak layer



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **large**



Wind slab



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**

Weakly bonded old snow above approximately 2200 m. Fresh wind slabs require caution.

Single winter sport participants can release avalanches in some places. These can penetrate even deep layers and reach large size in isolated cases. The avalanche prone locations are to be found in all aspects. Caution is to be exercised in particular on very steep shady slopes above approximately 2200 m, as well as on sunny slopes at elevated altitudes. The avalanche prone locations are difficult to recognise. Whumpfung sounds indicate the danger. Caution is to be exercised at transitions from a shallow to a deep snowpack. As a consequence of new snow and strong wind the wind slabs will increase in size once again. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and on steep shady slopes. Their prevalence will increase with altitude. Careful route selection is recommended.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind

Over a wide area 5 to 10 cm of snow, and even more in some localities, has fallen. The strong wind will transport the new snow and, in some cases, old snow as well. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack. Faceted weak layers exist in the old snowpack. This applies in all aspects above approximately 2200 m.

The snowpack will be subject to considerable local variations.


Tendency

Wind slabs and weakly bonded old snow represent the main danger. Some snow will fall on Tuesday in some regions. The wind will be moderate to strong in some regions. The avalanche danger will persist.

Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
 on Tuesday 17 01 2023



Persistent weak layer



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **large**



Wind slab



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**

Weakly bonded old snow above approximately 2200 m. Fresh wind slabs require caution.

Single winter sport participants can release avalanches. These can penetrate even deep layers and reach large size in isolated cases. This applies in particular adjacent to ridgelines in high Alpine regions. The avalanche prone locations are to be found in all aspects above approximately 2200 m. They are difficult to recognise. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack can indicate the danger. Remotely triggered avalanches are possible in isolated cases. Caution is to be exercised at transitions from a shallow to a deep snowpack.

As a consequence of new snow and strong wind the wind slabs will increase in size once again. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and on steep shady slopes. The prevalence of these avalanche prone locations will increase with altitude. Caution and restraint are advisable.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind

Over a wide area 5 to 15 cm of snow fell on Sunday. The strong wind will transport the new snow and, in some cases, old snow as well.

The snowpack will be in most cases subject to considerable local variations.

Faceted weak layers exist in the top section of the old snowpack. This applies especially between approximately 2000 and 2400 m, as well as on sunny slopes at elevated altitudes. Faceted weak layers exist deep in the old snowpack especially at elevated altitudes.

In some cases the various wind slabs have bonded poorly with each other and the old snowpack. They are lying on soft layers in particular on shady slopes at elevated altitudes.


Tendency

Wind slabs and weakly bonded old snow require caution. The avalanche danger will persist.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
 on Tuesday 17 01 2023



Persistent weak layer



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**



Wind slab



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**

Weakly bonded old snow above approximately 2200 m. Fresh wind slabs require caution.

Even single winter sport participants can release avalanches. These can penetrate even deep layers and reach medium size.

The avalanche prone locations are to be found in all aspects. Caution is to be exercised in particular on very steep shady slopes above approximately 2200 m, as well as on very steep sunny slopes at elevated altitudes. The avalanche prone locations are difficult to recognise. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack can indicate the danger. Caution is to be exercised at transitions from a shallow to a deep snowpack.

As a consequence of new snow and strong wind the wind slabs will increase in size once again. Their prevalence will increase with altitude. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and on steep shady slopes.

Meticulous route selection is advisable.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind


Over a wide area 5 to 10 cm of snow has fallen. The strong wind will transport the new snow and, in some cases, old snow as well. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack. Faceted weak layers exist in the old snowpack. This applies in all aspects above approximately 2200 m.

The snowpack will be subject to considerable local variations.

Tendency

Some snow will fall on Tuesday over a wide area, in particular in the southeast. The wind will be moderate to strong in some regions. The avalanche danger will increase, in particular in the regions exposed to heavier precipitation.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Tuesday 17 01 2023



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**

Fresh wind slabs require caution.

As a consequence of new snow and a strong wind, further wind slabs will form. These are mostly small but in some cases prone to triggering.

Avalanche prone locations are to be found especially adjacent to ridgelines and on steep shady slopes above approximately 2200 m.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Some snow has fallen since Sunday over a wide area. As a consequence of a strong wind from southwesterly directions, sometimes avalanche prone wind slabs will form. Fresh wind slabs are lying on soft layers in particular on shady slopes above approximately 2200 m.

Only a small amount of snow is lying for the time of year.

Tendency

Fresh wind slabs require caution. The avalanche danger will persist.