





AM




PM



Danger Level 2 - Moderate

AM:




Tendency: Constant avalanche danger →
 on Sunday 19 02 2023



Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **medium**


PM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023



Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **medium**



Snowpack stability: **very poor**
 Frequency: **few**
 Avalanche size: **medium**

Weakly bonded old snow and wet snow require caution.

The early morning will see favourable conditions over a wide area.

Weak layers in the old snowpack can still be released in some places by individual winter sport participants, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example, as well as in little used backcountry terrain. The avalanche prone locations are rare but are difficult to recognise. Mostly avalanches are medium-sized. In steep terrain there is a danger of falling on the hard snow surface.

On very steep sunny slopes small to medium-sized wet avalanches are possible as a consequence of warming during the day. Backcountry tours should be concluded timely.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.10: springtime scenario

The snowpack will be quite well bonded. Isolated avalanche prone weak layers exist in the snowpack, especially on shady slopes above approximately 2200 m, and on sunny slopes at elevated altitudes.

On Saturday the wind will be strong in the vicinity of peaks. The wind will transport only a little snow.

The weather will be mild. The surface of the snowpack has frozen to form a strong crust and will soften during the day. Sunshine and high temperatures will give rise as the day progresses to increasing softening of the snowpack.

At intermediate altitudes only a small amount of snow is lying for the time of year.




Tendency

On Sunday the wind will be strong adjacent to ridgelines in some regions.
Increase in danger of wet avalanches in the course of the day.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023




Persistent weak layer



Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **medium**

PM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023



Wet snow



Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **medium**



Persistent weak layer



Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**

Weakly bonded old snow and wet snow require caution.

The early morning will see quite favourable conditions generally.

Weak layers in the old snowpack can still be released in some places by individual winter sport participants, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example, as well as in little used backcountry terrain. The avalanche prone locations are rare but are difficult to recognise. Mostly avalanches are medium-sized. On very steep sunny slopes small and medium-sized moist and wet avalanches are possible as a consequence of warming during the day. Backcountry tours should be concluded before midday.

Snowpack

The snowpack will be quite well bonded. Isolated avalanche prone weak layers exist in the snowpack, especially on shady slopes above approximately 2200 m.

On Saturday the wind will be strong in the vicinity of peaks. The wind will transport only a little snow. The weather will be mild. The surface of the snowpack is frozen, but not to a significant depth and will soften during the day.

At intermediate altitudes only a small amount of snow is lying for the time of year.

Tendency

On Sunday the wind will be strong adjacent to ridgelines in some regions.



Increase in danger of moist avalanches in the course of the day.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023

PM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023



Wet snow



2600m

Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

The early morning will see favourable conditions generally, but the danger of wet avalanches will increase later.

Individual avalanche prone locations for dry avalanches are to be found in particular on steep, little used shady slopes. These places are very rare but are difficult to recognise.

On very steep sunny slopes small to medium-sized wet avalanches are possible as a consequence of warming during the day. Backcountry tours should be concluded timely.

Snowpack

Danger patterns

dp.10: springtime scenario

At low and intermediate altitudes less snow than usual is lying.

Intermediate and high altitudes: The snowpack is favourably layered and its surface has a crust that is strong in many cases, in particular on steep sunny slopes. The weather will be mild. Sunshine and high temperatures will give rise as the day progresses to increasing moistening of the snowpack.

Faceted weak layers exist in the centre of the snowpack, especially on shady slopes above approximately 2200 m, and on sunny slopes at elevated altitudes.

On Saturday the wind will be strong in the vicinity of peaks. The wind will transport only a little snow.


Tendency

On Sunday the wind will be strong in some cases in some regions.

Increase in danger of wet avalanches in the course of the day.


Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023

PM:



Tendency: Constant avalanche danger →
 on Sunday 19 02 2023



Wet snow



2600m

Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

The early morning will see favourable conditions generally, but the avalanche danger will increase later.

Individual avalanche prone locations for dry avalanches are to be found in particular on extremely steep shady slopes and at transitions from a shallow to a deep snowpack. These places are very rare but are difficult to recognise. In steep terrain there is a danger of falling on the hard snow surface.

On very steep sunny slopes small to medium-sized wet avalanches are possible as a consequence of warming during the day. Backcountry tours should be concluded timely.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.10: springtime scenario

The snowpack is favourably layered and its surface has a crust that is strong in many cases, in particular on steep sunny slopes. Sunshine and high temperatures will give rise as the day progresses to gradual moistening of the snowpack.

Faceted weak layers exist in the centre of the snowpack, especially on shady slopes above approximately 2200 m, and on sunny slopes at elevated altitudes. The snowpack will be subject to considerable local variations above the tree line.

On Saturday the wind will be strong in the vicinity of peaks. The wind will transport only a little snow.


Tendency

On Sunday the wind will be strong in some cases in some regions.


Increase in danger of wet avalanches in the course of the day.

Danger Level 2 - Moderate

AM:



PM:



Wet snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

The early morning will see favourable conditions mostly, but the danger of wet avalanches will increase later.

On very steep sunny slopes small to medium-sized wet avalanches are possible as a consequence of warming during the day. Backcountry tours should be concluded timely.

Individual avalanche prone locations for dry avalanches are to be found in particular on extremely steep shady slopes and at transitions from a shallow to a deep snowpack. These places are very rare and are difficult to recognise. In steep terrain there is a danger of falling on the hard snow surface.

Snowpack

The snowpack is favourably layered and its surface has a melt-freeze crust that is barely capable of bearing a load, in particular on steep sunny slopes. Sunshine and high temperatures will give rise as the day progresses to gradual moistening of the snowpack.

Faceted weak layers exist in the centre of the snowpack, especially on shady slopes above approximately 2200 m. The snowpack will be subject to considerable local variations above the tree line. In all regions only a small amount of snow is lying for the time of year.

On Saturday the wind will be strong in the vicinity of peaks over a wide area. The wind will transport only a little snow.

Tendency

On Sunday the wind will be strong adjacent to ridgelines in some regions. Increase in danger of moist avalanches in the course of the day.