




## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
on Sunday 23 04 2023



Wet snow



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **large**



Persistent  
weak layer



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **large**

Wet snow represents the main danger. Natural avalanches must be expected more frequently.

As a consequence of warming natural moist avalanches are to be expected, this applies already in the early morning. The avalanche prone locations are to be found in all aspects below approximately 2700 m. In isolated cases avalanches can also release deeper layers of the snowpack and reach large size, especially on very steep west, north and east facing slopes above approximately 2400 m.

More small and, in isolated cases, medium-sized loose snow avalanches are possible.

The danger of natural wet avalanches will increase during the day.

Fresh wind slabs require caution, in particular on steep shady slopes in high Alpine regions.

## Snowpack

### Danger patterns

dp.10: springtime scenario

dp.4: cold following warm / warm following cold

As a consequence of sharply rising temperatures and high relative humidity an unfavourable avalanche situation will develop by the early morning. The meteorological conditions will cause a gradual weakening of the near-surface layers.


Faceted weak layers exist in the old snowpack on very steep west, north and east facing slopes, especially above approximately 2400 m on the Main Alpine Ridge.

10 to 30 cm of snow, and even more in some localities, has fallen since Thursday above approximately 2200 m.

## Tendency

The avalanche danger will persist. Wet snow requires caution.

## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Sunday 23 04 2023



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

### Wet snow represents the main danger.

As a consequence of warming moist and wet avalanches are to be expected, this applies already in the early morning. The avalanche prone locations are to be found in all aspects.

The danger of wet avalanches will increase during the day.

Fresh wind slabs require caution, in particular on steep shady slopes in high Alpine regions.

### Snowpack

#### Danger patterns


dp.10: springtime scenario

As a consequence of sharply rising temperatures and high relative humidity an unfavourable avalanche situation will develop by the early morning. The meteorological conditions will cause a weakening of the snowpack.

### Tendency

Wet snow requires caution.

## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 23 04 2023

### Wet snow requires caution.

As a consequence of warming wet snow slides and avalanches are to be expected, this applies already in the early morning. The avalanche prone locations are to be found in all aspects.

The danger of wet avalanches will increase during the day.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

As a consequence of sharply rising temperatures and high relative humidity an unfavourable avalanche situation will develop by the early morning. The meteorological conditions will cause a weakening of the snowpack. At low and intermediate altitudes hardly any snow is lying.

### Tendency

From a snow sport perspective, in most cases insufficient snow is lying.