




## Danger Level 3 - Considerable




**Tendency: Decreasing avalanche danger**  
on Thursday 27 04 2023



Persistent weak layer



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Weakly bonded old snow represents the main danger. Wind slabs are to be evaluated with care and prudence.

In some places avalanches can be triggered in the weakly bonded old snow and reach large size in isolated cases, in particular on very steep shady slopes above approximately 2400 m.

In addition the various wind slabs of the last few days are capable of being triggered in some cases still.

They are to be evaluated with care and prudence in particular on northwest to north to east facing aspects above approximately 2400 m. Avalanches can penetrate deep layers. At elevated altitudes the avalanche prone locations are more prevalent.

As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of wet avalanches.

## Snowpack

### Danger patterns

dp.4: cold following warm / warm following cold

dp.6: cold, loose snow and wind

In some regions 10 to 30 cm of snow, and even more in some localities, has fallen since Monday. As a consequence of new snow and a moderate to strong northwesterly wind, sometimes large wind slabs formed. These are lying on soft layers in particular on northwest to north to east facing aspects above approximately 2400 m.

Avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes.


The weather conditions as the day progresses will give rise to increasing moistening of the snowpack.

## Tendency

The meteorological conditions will facilitate a slow stabilisation of the snowpack. Increase in danger of moist and wet avalanches as a consequence of warming.



## Danger Level 3 - Considerable



Tendency: **Decreasing avalanche danger**  
on Thursday 27 04 2023



Wind slab



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**



Wet snow



Treeline

Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

### Wind slabs and wet snow require caution.

Wind slabs are to be assessed with care and prudence. Additionally in some places avalanches can also penetrate deep layers and reach large size. Increase in danger of wet avalanches in the course of the day, in the event of prolonged bright spells in particular.

### Snowpack

**Danger patterns**

dp.10: springtime scenario

dp.6: cold, loose snow and wind

Over a wide area 10 to 30 cm of snow, and even more in some localities, has fallen since Monday above approximately 2200 m. As a consequence of new snow and a moderate to strong northwesterly wind, further wind slabs formed.


Avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes. The solar radiation will give rise as the day progresses to moistening of the snowpack.

### Tendency

The meteorological conditions will facilitate a gradual stabilisation of the snowpack.



## Danger Level 2 - Moderate



Weakly bonded old snow is to be evaluated with care and prudence. Fresh wind slabs require caution.

Weak layers in the old snowpack can be released in some places even by individual winter sport participants in particular on very steep shady slopes, especially above approximately 2400 m.

In addition the various wind slabs of the last few days are capable of being triggered in some cases still. In isolated cases avalanches can also penetrate deep layers and reach large size, in particular on very steep northwest, north and east facing slopes above approximately 2400 m. At elevated altitudes the avalanche prone locations are more prevalent.

As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of wet avalanches.

### Snowpack

#### Danger patterns

dp.4: cold following warm / warm following cold

dp.6: cold, loose snow and wind

In some regions 10 to 30 cm of snow, and even more in some localities, has fallen since Monday. As a consequence of new snow and a moderate to strong northwesterly wind, sometimes large wind slabs formed.

Avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes.


The weather conditions as the day progresses will give rise to increasing moistening of the snowpack.

### Tendency

The conditions will facilitate a settling of the snowpack. Slight increase in danger of moist and wet avalanches as a consequence of warming.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →

on Thursday 27 04 2023



Persistent weak layer




Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **large**



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Weakly bonded old snow is to be evaluated with care and prudence. Fresh wind slabs require caution.

Weak layers in the old snowpack can be released in some places even by individual winter sport participants in particular on very steep shady slopes, especially above approximately 2400 m.

In addition the various wind slabs of the last few days are capable of being triggered in some cases still. In isolated cases avalanches can also penetrate deep layers and reach large size, in particular on very steep northwest, north and east facing slopes above approximately 2400 m. At elevated altitudes the avalanche prone locations are more prevalent.

As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of wet avalanches.

## Snowpack

### Danger patterns

dp.4: cold following warm / warm following cold

dp.6: cold, loose snow and wind

In some regions 10 to 30 cm of snow, and even more in some localities, has fallen since Monday. As a consequence of new snow and a moderate to strong northwesterly wind, sometimes large wind slabs formed.

Avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes.


The weather conditions as the day progresses will give rise to increasing moistening of the snowpack.

## Tendency

The conditions will facilitate a settling of the snowpack. Slight increase in danger of moist and wet avalanches as a consequence of warming.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 27 04 2023

### Wind slabs at elevated altitudes.

Somewhat older wind slabs are to be evaluated with care and prudence in particular in very steep terrain, in particular on very steep shady slopes at high altitude. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Increase in danger of wet snow slides as a consequence of warming during the day and solar radiation.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

dp.10: springtime scenario

Some snow has fallen since Sunday in some regions, especially at high altitude.

The spring-like weather conditions will give rise to rapid moistening of the snowpack in particular on sunny slopes. At low and intermediate altitudes hardly any snow is lying.

### Tendency

From a snow sport perspective, in most cases insufficient snow is lying. Increase in danger of wet avalanches as a consequence of warming.