



## Danger Level 4 - High



**Tendency: Decreasing avalanche danger**  
 on Sunday 24 12 2023




Wind slab



Snowpack stability: **very poor**

Frequency: **many**

Avalanche size: **large**



Gliding snow



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**

### The avalanche conditions are precarious.

The conditions are critical for backcountry touring and other off-piste activities outside marked and open pistes.

The large quantity of fresh snow and the extensive wind slabs formed by the storm force wind are prone to triggering in all aspects above the tree line, caution is to be exercised also in areas close to the tree line.

The avalanche prone locations are widespread and are barely recognisable because of the poor visibility.

The avalanches are medium-sized and can be released easily by a single winter sport participant. In particular on wind-loaded slopes and at the base of rock walls and behind abrupt changes in the terrain individual large avalanches are possible. With the end of the intense snowfall, the natural avalanche activity will gradually decrease.

In addition a substantial danger of gliding avalanches exists. This applies on steep grassy slopes in particular below approximately 2400 m. Caution is to be exercised in areas with glide cracks. Below approximately 1600 m mostly small wet loose snow avalanches are possible.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

80 to 100 cm of snow has fallen since Thursday above approximately 1200 m. The wind will be storm force. The various wind slabs have bonded insufficiently with each other and the old snowpack. Towards its base, the snowpack is well consolidated. The snowpack will be moist below approximately 1600 m.

### Tendency

As a consequence of the ceasing of precipitation there will be a gradual decrease in the danger of dry avalanches. The new snow and wind slabs remain in some cases prone to triggering at elevated altitudes. An increasing number of gliding avalanches are to be expected as a consequence of warming. As a consequence of solar radiation more frequent loose snow avalanches are to be expected.



## Danger Level 4 - High



Treeline

**Tendency: Decreasing avalanche danger**  
 on Sunday 24 12 2023



Wind slab




Treeline

Snowpack stability: **very poor**

Frequency: **many**

Avalanche size: **large**



Gliding snow



2400m

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



New snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

### The avalanche conditions remain very critical.

Very large quantity of fresh snow and the extensive wind slabs formed by the storm force wind are prone to triggering in all aspects above the tree line. The avalanche prone locations are to be found also in areas close to the tree line. As a consequence of the sometimes storm force wind natural avalanches are possible. In particular on north and east facing slopes they can be released in the various layers of new snow and reach large size. With the end of the intense snowfall, the natural avalanche activity will gradually decrease.

In addition a substantial danger of gliding avalanches exists. This applies on steep grassy slopes in all aspects in particular below approximately 2400 m. Caution is to be exercised in areas with glide cracks.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

A lot of new snow above approximately 1200 m. The wind will be storm force. As a consequence of the westerly wind the already large wind slabs will increase in size once again.

The various wind slabs have bonded insufficiently with each other and the old snowpack. Towards its base, the snowpack is well consolidated.

### Tendency

The meteorological conditions will facilitate a slow decrease in the danger of dry avalanches. The new snow and wind slabs remain in some cases prone to triggering at elevated altitudes. An increasing number of gliding avalanches are to be expected as a consequence of warming. As a consequence of solar radiation more frequent loose snow avalanches are to be expected.




## Danger Level 4 - High



Treeline

**Tendency: Decreasing avalanche danger**  
 on Sunday 24 12 2023



Wind slab




Treeline

Snowpack stability: **very poor**

Frequency: **many**

Avalanche size: **large**



Gliding snow



2400m

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



New snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

### The avalanche conditions remain critical.

Very large quantity of fresh snow and the extensive wind slabs formed by the storm force wind are prone to triggering in all aspects above the tree line. The avalanche prone locations are to be found also in areas close to the tree line. More natural avalanches are possible. In particular on north and east facing slopes avalanches can be released in the various layers of new snow and reach large size. Additionally in very isolated cases avalanches can also penetrate deep layers and reach very large size. With the end of the intense snowfall, the natural avalanche activity will gradually decrease.

In addition a substantial danger of gliding avalanches exists. This applies on steep grassy slopes in all aspects in particular below approximately 2400 m. Caution is to be exercised in areas with glide cracks.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

A lot of new snow above approximately 1200 m. The wind will be storm force. As a consequence of the westerly wind the already large wind slabs will increase in size once again. The various wind slabs have bonded insufficiently with each other and the old snowpack. Isolated avalanche prone weak layers exist in the bottom section of the old snowpack on rather lightly snow-covered shady slopes.

### Tendency

The meteorological conditions will facilitate a slow decrease in the danger of dry avalanches. The new snow and wind slabs remain in some cases prone to triggering at elevated altitudes. An increasing number of gliding avalanches are to be expected as a consequence of warming. As a consequence of solar radiation more frequent loose snow avalanches are to be expected.



## Danger Level 4 - High



Treeline

**Tendency: Decreasing avalanche danger**  
 on Sunday 24 12 2023



Wind slab




Treeline

Snowpack stability: **very poor**

Frequency: **many**

Avalanche size: **large**



Gliding snow



2400m


Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



New snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

### The avalanche conditions remain critical.

Very large quantity of fresh snow and the extensive wind slabs formed by the storm force wind are prone to triggering in all aspects above the tree line. The avalanche prone locations are to be found also in areas close to the tree line. Natural avalanches are to be expected, this applies especially during the course of the night. In particular on north and east facing slopes avalanches can be released in the various layers of new snow and reach large size. Additionally in very isolated cases avalanches can also penetrate deep layers and reach very large size. With the end of the intense snowfall, the natural avalanche activity will gradually decrease.

In addition a substantial danger of gliding avalanches exists. This applies on steep grassy slopes in all aspects in particular below approximately 2400 m. Caution is to be exercised in areas with glide cracks.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

A lot of new snow above approximately 1200 m. The wind will be storm force. As a consequence of the westerly wind the already large wind slabs will increase in size once again. The various wind slabs have bonded insufficiently with each other and the old snowpack. Isolated avalanche prone weak layers exist in the bottom section of the old snowpack on rather lightly snow-covered shady slopes.

### Tendency

The meteorological conditions will facilitate a slow decrease in the danger of dry avalanches. The new snow and wind slabs remain in some cases prone to triggering at elevated altitudes. An increasing number of gliding avalanches are to be expected as a consequence of warming. As a consequence of solar radiation more frequent loose snow avalanches are to be expected.

## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
 on Sunday 24 12 2023



Wind slab




**Treeline**


Snowpack stability: **very poor**

Frequency: **many**

Avalanche size: **medium**



Gliding snow



**2400m**

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



New snow



**Treeline**

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

### The avalanche conditions remain unfavourable.

The conditions are critical for backcountry touring and other off-piste activities outside marked and open pistes.

The large quantity of fresh snow and the extensive wind slabs formed by the storm force wind are prone to triggering in all aspects above the tree line, caution is to be exercised also in areas close to the tree line.

The avalanche prone locations are widespread and are barely recognisable because of the poor visibility.

The avalanches are medium-sized and can be released easily by a single winter sport participant. With the end of the intense snowfall, the natural avalanche activity will gradually decrease.

In addition a substantial danger of gliding avalanches exists. This applies on steep grassy slopes in particular below approximately 2400 m. Caution is to be exercised in areas with glide cracks.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

A lot of new snow above approximately 1200 m. The wind will be storm force. The various wind slabs have bonded insufficiently with each other and the old snowpack. Towards its base, the snowpack is well consolidated.

### Tendency

As a consequence of the ceasing of precipitation there will be a gradual decrease in the danger of dry avalanches. The new snow and wind slabs remain in some cases prone to triggering at elevated altitudes. An increasing number of gliding avalanches are to be expected as a consequence of warming. As a consequence of solar radiation more frequent loose snow avalanches are to be expected.



## Danger Level 3 - Considerable



Treeline

**Tendency: Constant avalanche danger** →

on Sunday 24 12 2023



Wind slab




Treeline

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **large**



Gliding snow



2400m

Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**

The fresh snow and in particular the sometimes large wind slabs represent the main danger.

The fresh wind slabs can be released easily or naturally in all aspects, especially in areas close to the tree line and above the tree line. Caution is to be exercised in particular at the base of rock walls, as well as in gullies and bowls, and behind abrupt changes in the terrain. The fresh wind slabs can especially at their margins be released very easily. Avalanches can also penetrate deep layers and reach large size in isolated cases. In the regions neighbouring those that are subject to danger level 4 (high) the avalanche prone locations are more prevalent and larger. Individual loose snow avalanches are possible in the afternoon, in the event of prolonged bright spells especially on extremely steep slopes.

A certain danger of gliding avalanches exists, especially on steep east, south and west facing slopes below approximately 2400 m in the regions exposed to heavier precipitation. Areas with glide cracks are to be avoided as far as possible.

The conditions are sometimes critical for backcountry touring and other off-piste activities outside marked and open pistes.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.2: gliding snow

Over a wide area 15 to 30 cm of snow, and up to 50 cm in some localities, has fallen above approximately 1500 m. The violent wind will transport the new snow and, in some cases, old snow as well. Snow depths vary greatly, depending on the influence of the wind. The fresh wind slabs are lying on soft layers at high altitudes and in high Alpine regions.

Towards its base, the snowpack is faceted. The snowpack will be generally subject to considerable local variations.

Low and intermediate altitudes: Towards its base, the snowpack is moist.



## Tendency

Slight increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation, in particular on steep sunny slopes. Slight decrease in danger of dry avalanches. Fresh wind slabs are to be evaluated critically. Gliding avalanches require caution.





## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Sunday 24 12 2023



Wind slab



Treeline

Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

### Fresh wind slabs are to be evaluated critically.

The fresh wind slabs can be released easily. or in isolated cases naturally,, especially on steep shady slopes in areas close to the tree line, as well as above the tree line. They can especially at their margins be released very easily. Caution is to be exercised in particular at the base of rock walls, as well as in gullies and bowls, and behind abrupt changes in the terrain. The prevalence of the avalanche prone locations will increase with altitude. Avalanches can reach medium size.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

10 to 20 cm of snow has fallen above approximately 1500 m. The violent wind will transport the new snow and, in some cases, old snow as well. Snow depths vary greatly, depending on the influence of the wind. The fresh wind slabs are lying on soft layers at high altitudes and in high Alpine regions.

Towards its base, the snowpack is faceted. The snowpack will be generally subject to considerable local variations.

Low and intermediate altitudes: Towards its base, the snowpack is moist.

### Tendency

Fresh wind slabs represent the main danger. Slight increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation, in particular on steep sunny slopes.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 24 12 2023

### Wind slabs require caution.

The fresh wind slabs must be evaluated with care and prudence. The prevalence of the avalanche prone locations will increase with altitude.

### Snowpack

Snow depths vary greatly above the tree line, depending on the influence of the wind.

### Tendency

The avalanche danger will persist. As a consequence of warming, the likelihood of moist and wet avalanches being released will increase on steep sunny slopes.