


1	2	3	4	5
low	moderate	considerable	high	very high







New snow and wind slabs require caution. Backcountry touring calls for great restraint.

Natural avalanches are possible, even large ones. They can penetrate deep layers and reach very large size in isolated cases. In steep gullies the avalanches can reach intermediate altitudes. Even single backcountry tourers can release avalanches very easily. The avalanche prone locations are to be found in particular in steep terrain above the tree line. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls, as well as at the base of rock walls and behind abrupt changes in the terrain in particular at high altitude. The avalanche prone locations are numerous and are barely recognisable because of the poor visibility.

Gradual increase in avalanche danger as the snowfall level rises.

Backcountry touring and other off-piste activities call for great caution and restraint.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

(dp.2: gliding snow)

Up to 60 cm of snow, and even more in some localities, has fallen since Friday above approximately 1400 m. The strong wind has transported some snow. The new snow and wind slabs are poorly bonded with the old snowpack. The new snow and wind slabs of the last few days are lying on the unfavourable surface of an old snowpack above the tree line.

Over a wide area over a wide area 30 to 60 cm of snow, and even more in some localities, will fall on Tuesday above approximately 1400 m, in particular in the Prealps.


Tendency

The weather conditions will prevent a rapid stabilisation of the snowpack. Some snow will fall on Wednesday over a wide area.





Danger Level 3 - Considerable



New snow and wind slabs require caution. Backcountry touring calls for great restraint.

Natural avalanches are possible, even large ones. They can penetrate deep layers and reach very large size in isolated cases. In steep gullies the avalanches can reach intermediate altitudes. Even single backcountry tourers can release avalanches very easily. The avalanche prone locations are to be found in particular in steep terrain above the tree line. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls, as well as at the base of rock walls and behind abrupt changes in the terrain in particular at high altitude. The avalanche prone locations are numerous and are barely recognisable because of the poor visibility.

Gradual increase in avalanche danger as the snowfall level rises.

Backcountry touring and other off-piste activities call for great caution and restraint.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

(dp.2: gliding snow)

Up to 60 cm of snow, and even more in some localities, has fallen since Friday above approximately 1400 m. The strong wind has transported some snow. The new snow and wind slabs are poorly bonded with the old snowpack. The new snow and wind slabs of the last few days are lying on the unfavourable surface of an old snowpack above the tree line.

Over a wide area over a wide area 30 to 60 cm of snow, and even more in some localities, will fall on Tuesday above approximately 1400 m, in particular in the Prealps.


Tendency

The weather conditions will prevent a rapid stabilisation of the snowpack. Some snow will fall on Wednesday over a wide area.



Avalanche.report Tuesday 27.02.2024 Published 26 02 2024, 17:00





Fresh wind slabs represent the main danger. Weakly bonded old snow requires caution.

The new snow and wind slabs can be released easily, even by a single winter sport participant, above the tree line. Individual natural avalanches are possible, especially in the Ultental and in the Ortler Range. The number and size of avalanche prone locations will increase with altitude. Avalanches can in some cases reach quite a large size.

Weak layers in the old snowpack can be released in some places even by individual winter sport participants. The avalanche prone locations are to be found in particular on west, north and east facing slopes above approximately 2400 m. Avalanches can reach large size in isolated cases.

As a consequence of warming small to medium-sized loose snow avalanches are possible. In particular in the regions with a lot of snow more frequent small and medium-sized gliding avalanches are possible, especially below approximately 2600 m.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind

(dp.4: cold following warm / warm following cold)

Over a wide area 15 to 25 cm of snow, and up to 40 cm in some localities, will fall on Tuesday. As a consequence of new snow and wind the wind slabs will increase in size appreciably. They are prone to triggering.

Avalanche prone weak layers exist deeper in the snowpack in particular on steep east, north and west facing slopes.






Tendency







Fresh wind slabs represent the main danger. Weakly bonded old snow requires caution.

The new snow and wind slabs can be released easily, even by a single winter sport participant, above the tree line. The number and size of avalanche prone locations will increase with altitude. Mostly avalanches are medium-sized.

Weak layers in the old snowpack can be released in some places even by individual winter sport participants. The avalanche prone locations are to be found in particular on west, north and east facing slopes above approximately 2400 m. Avalanches can reach large size in isolated cases.

As a consequence of warming small to medium-sized loose snow avalanches are possible. In particular in the regions with a lot of snow more frequent small and medium-sized gliding avalanches are possible, especially below approximately 2600 m.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

(dp.4: cold following warm / warm following cold)

Over a wide area 15 to 25 cm of snow will fall on Tuesday. As a consequence of new snow and wind the wind slabs will increase in size appreciably. They are prone to triggering.

Avalanche prone weak layers exist deeper in the snowpack in particular on steep east, north and west facing slopes.


Tendency











Fresh wind slabs represent the main danger. Weakly bonded old snow requires caution.

The new snow and wind slabs can be released by a single winter sport participant in particular on shady slopes above the tree line. The number and size of avalanche prone locations will increase with altitude. Mostly avalanches are medium-sized.

Weak layers in the old snowpack can be released in some places even by individual winter sport participants. The avalanche prone locations are to be found in particular on west, north and east facing slopes above approximately 2400 m. Avalanches can reach large size in isolated cases.

As a consequence of warming small and, in isolated cases, medium-sized loose snow avalanches are possible. In particular in the regions with a lot of snow more frequent small and medium-sized gliding avalanches are possible, especially below approximately 2600 m.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind)

dp.4: cold following warm / warm following cold

Over a wide area 5 to 15 cm of snow will fall on Tuesday. As a consequence of new snow and wind the wind slabs will increase in size moderately. They are in some cases prone to triggering.

Avalanche prone weak layers exist deeper in the snowpack in particular on steep east, north and west facing slopes.


Tendency











Fresh wind slabs require caution. Weakly bonded old snow is to be evaluated with care and prudence.

As a consequence of new snow and a sometimes strong southerly wind, sometimes avalanche prone wind slabs will form in particular adjacent to ridgelines on north facing slopes. This applies especially above the tree line. Single winter sport participants can release avalanches, including medium-sized ones. The number and size of avalanche prone locations will increase with altitude.

Avalanches can in isolated cases be triggered in the old snowpack and reach large size in isolated cases in particular on very steep west, north and east facing slopes. Such avalanche prone locations are to be found above approximately 2400 m.

As a consequence of warming during the day individual loose snow slides are possible as the day progresses, but they will be mostly small. On steep grassy slopes medium-sized gliding avalanches are possible, especially on sunny slopes below approximately 2600 m.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind)

(dp.4: cold following warm / warm following cold)

In some regions 5 to 15 cm of snow will fall on Tuesday. The southerly wind will transport the new snow. Fresh wind slabs are lying on soft layers especially on shady slopes.

In isolated cases new snow and wind slabs are lying on a weakly bonded old snowpack, in particular on steep west, north and east facing slopes above approximately 2400 m.






Tendency







Fresh wind slabs require caution. In addition individual gliding avalanches and moist snow slides are possible.

The fresh wind slabs can be released by a single winter sport participant in some cases in particular on steep shady slopes above the tree line, caution is to be exercised in particular adjacent to ridgelines and in pass areas. Mostly avalanches are only small.

On steep grassy slopes mostly small gliding avalanches and moist snow slides are possible as a consequence of the new snow.

Snowpack

Danger patterns

 $\left({
m ~dp.6:~cold,~loose~snow~and~wind}
ight)$


Up to 10 cm of snow, and even more in some localities, will fall on Tuesday. As a consequence of the strong wind the wind slabs will increase in size moderately. They are in isolated cases prone to triggering.

In particular in the south only a little snow is lying.

Tendency







Gliding snow requires caution. Fresh wind slabs require caution.

On steep grassy slopes mostly small gliding avalanches are possible, in particular below approximately 2600 m.

The fresh wind slabs are in some cases still prone to triggering on very steep shady slopes above the tree line. Avalanches can in isolated cases be released by a single winter sport participant and reach medium size. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude.

Snowpack

Danger patterns

dp.2: gliding snow

)~~(dp.6: cold, loose snow and wind)

The sometimes strong wind has transported the new snow. In some cases wind slabs are lying on soft layers, in particular on shady slopes above the tree line.

Tendency

The wind slabs can be released in isolated cases. In addition gliding avalanches and wet snow slides are possible.

