
Saturday 13.04.2024


Published 12 04 2024, 17:00



earlier



later








Danger Level 3 - Considerable





The danger of wet avalanches will already increase in the late morning.

As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase quickly. This applies on steep sunny slopes in all altitude zones, as well as on steep, rather lightly snow-covered shady slopes below approximately 2600 m.

On steep grassy slopes more medium-sized and, in isolated cases, large gliding avalanches are possible below approximately 2600 m. Areas with glide cracks are to be avoided.

In isolated cases wet avalanches can also release the saturated snowpack and reach large size. In steep gullies the avalanches can in isolated cases reach valley bottoms at relatively high altitudes. Backcountry tours and ascents to alpine cabins should be started and concluded very early.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The weather will be very warm. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning. Sunshine and high temperatures will give rise from late morning to a loss of strength within the snowpack. In areas with a thinner snowpack the saturation and consequently the loss of strength happens more rapidly

The snowpack will be wet all the way through below approximately 2400 m. Hardly any snow is lying at low

Avalanche.report

Saturday 13.04.2024

Published 12 04 2024, 17:00



and intermediate altitudes.

Tendency

The weather will be exceptionally warm. The summery weather conditions will give rise to rapid and thorough wetting of the snowpack at elevated altitudes.

Saturday 13.04.2024

Published 12 04 2024, 17:00



Danger Level 1 - Low





Tendency: Constant avalanche danger on Sunday 14 04 2024

The weather will be very warm. The danger of wet avalanches will increase during the day.

As a consequence of warming and solar radiation, the activity of wet avalanches will gradually increase. On steep grassy slopes mostly small gliding avalanches are possible.

Snowpack

Danger patterns

 $(\mathsf{dp.10:springtime\,scenario})$

(dp.2: gliding snow)

The surface of the snowpack will freeze very little and will already be soft in the early morning.

Below approximately 1800 m from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

Conditions are favorable concerning avalanche hazard.