





earlier




later



Danger Level 3 - Considerable

earlier



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024



Gliding snow



Frequency: **few**

Avalanche size: **large**

later



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024



Wet snow



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



Gliding snow



Frequency: **some**

Avalanche size: **large**

The danger of wet avalanches will already increase in the late morning.

As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase quickly. This applies on steep sunny slopes in all altitude zones, as well as on steep, rather lightly snow-covered shady slopes below approximately 2600 m.

On steep grassy slopes more medium-sized and, in isolated cases, large gliding avalanches are possible below approximately 2600 m. Areas with glide cracks are to be avoided.

In isolated cases wet avalanches can also release the saturated snowpack and reach large size. In steep gullies the avalanches can in isolated cases reach valley bottoms at relatively high altitudes. Backcountry tours and ascents to alpine cabins should be started and concluded very early.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The weather will be very warm. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning. Sunshine and high temperatures will give rise from late morning to a loss of strength within the snowpack. In areas with a thinner snowpack the saturation and consequently the loss of strength happens more rapidly

The snowpack will be wet all the way through below approximately 2400 m. Hardly any snow is lying at low



and intermediate altitudes.

Tendency

The weather will be exceptionally warm. The summery weather conditions will give rise to rapid and thorough wetting of the snowpack at elevated altitudes.

Danger Level 2 - Moderate

earlier



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024




Gliding snow



Frequency: **few**

Avalanche size: **medium**

later



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024



Gliding snow



Frequency: **few**

Avalanche size: **medium**



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

Wet and gliding avalanches are the main danger.

As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase quickly. Avalanche prone locations are to be found on very steep slopes in all altitude zones. In some cases avalanches are medium-sized.

On steep grassy slopes more medium-sized gliding avalanches are possible. Areas with glide cracks are to be avoided.

In steep gullies the avalanches can in very isolated cases reach areas without any snow cover.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The weather will be very warm. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning. Sunshine and high temperatures will give rise from late morning to a loss of strength within the snowpack.

The snowpack will be wet all the way through over a wide area. Hardly any snow is lying at low and intermediate altitudes.

Tendency



The weather will be exceptionally warm. The summery weather conditions will give rise to rapid and thorough wetting of the snowpack at elevated altitudes.

Danger Level 2 - Moderate

earlier



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024



Gliding snow



2600m

Frequency: **few**

Avalanche size: **large**

later



Tendency: Constant avalanche danger →
 on Sunday 14 04 2024



Gliding snow



2600m

Frequency: **few**

Avalanche size: **large**



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

Wet and gliding avalanches are the main danger.

As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase quickly. This applies on steep sunny slopes in all altitude zones, as well as on steep, rather lightly snow-covered shady slopes below approximately 2600 m. Mostly avalanches are medium-sized.

On steep grassy slopes more medium-sized and, in isolated cases, large gliding avalanches are possible below approximately 2600 m. Areas with glide cracks are to be avoided.

In very isolated cases wet avalanches can also release the saturated snowpack and reach large size. In steep gullies the avalanches can in isolated cases reach areas without any snow cover. Backcountry tours and ascents to alpine cabins should be started and concluded very early.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The weather will be very warm. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning. Sunshine and high temperatures will give rise from late morning to a loss of strength within the snowpack. In areas with a thinner snowpack the saturation and consequently the loss of strength happens more rapidly




The snowpack will be wet all the way through below approximately 2400 m. Hardly any snow is lying at low and intermediate altitudes.

Tendency

The weather will be exceptionally warm. The summery weather conditions will give rise to rapid and thorough wetting of the snowpack at elevated altitudes.

Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Sunday 14 04 2024

The weather will be very warm. The danger of wet avalanches will increase during the day.

As a consequence of warming and solar radiation, the activity of wet avalanches will gradually increase. On steep grassy slopes mostly small gliding avalanches are possible.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The surface of the snowpack will freeze very little and will already be soft in the early morning.

Below approximately 1800 m from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

Conditions are favorable concerning avalanche hazard.