





### earlier



### later



## Danger Level 2 - Moderate

earlier



**Tendency: Increasing avalanche danger**  
on Wednesday 01 05 2024



later



**Tendency: Increasing avalanche danger**  
on Wednesday 01 05 2024



Wet snow



1800m

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**

### Increase in danger of wet avalanches in the course of the day.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually, this also applies on shady slopes. Mostly these are small.

In addition further gliding avalanches are possible, in particular on steep grassy slopes below approximately 2600 m. Areas with glide cracks are to be avoided.

## Snowpack

**Danger patterns**

dp.10: springtime scenario

The surface of the snowpack will freeze to form a strong crust only at high altitudes.

The high temperatures as the day progresses will give rise to increasing softening of the snowpack also on shady slopes at elevated altitudes. Caution is to be exercised in particular on sunny slopes below approximately 3000 m.

At low and intermediate altitudes hardly any snow is lying.

## Tendency

Some snow will fall in some regions. The danger of dry and wet avalanches will increase during the day.



## Danger Level 2 - Moderate


earlier



**Tendency: Increasing avalanche danger**  
on Wednesday 01 05 2024



later



**Tendency: Increasing avalanche danger**  
on Wednesday 01 05 2024



Wet snow



1800m

Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

### Increase in danger of wet avalanches in the course of the day.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually especially on extremely steep sunny slopes. Mostly these are small. This also applies in isolated cases on shady slopes below approximately 2800 m.

In addition further gliding avalanches are possible, in particular on steep grassy slopes below approximately 2600 m. Areas with glide cracks are to be avoided.

## Snowpack

**Danger patterns**

dp.10: springtime scenario

The surface of the snowpack will freeze to form a strong crust only at high altitudes.

The high temperatures as the day progresses will give rise to increasing softening of the snowpack also on shady slopes at elevated altitudes. Caution is to be exercised in particular on sunny slopes below approximately 3000 m.

## Tendency

Some snow will fall in some regions. The danger of dry and wet avalanches will increase during the day.



## Danger Level 1 - Low



**Tendency: Increasing avalanche danger**

on Wednesday 01 05 2024



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**

### Increase in danger of wet avalanches in the course of the day.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually, this also applies on shady slopes. Mostly these are small.

## Snowpack

**Danger patterns**

dp.10: springtime scenario

The surface of the snowpack has frozen to form a strong crust and will soften quickly. Sunshine and high temperatures will give rise as the day progresses to increasing softening of the snowpack also on shady slopes at elevated altitudes.

At low and intermediate altitudes hardly any snow is lying.

## Tendency

Above approximately 1800 m snow will fall in some regions. The danger of moist and wet snow slides will increase but remain within the current danger level.