










Danger Level 2 - Moderate



Fresh wind slabs require caution, in particular adjacent to ridgelines above approximately 2400 m. Caution is to be exercised in areas with glide cracks.

As a consequence of a sometimes strong southwesterly wind, sometimes avalanche prone wind slabs will form in particular in the regions exposed to the foehn wind. They can be released by a single winter sport participant in some cases especially on very steep shady slopes above approximately 2400 m. They are mostly small. The more recent wind slabs are clearly recognisable to the trained eye. Caution is to be exercised in particular adjacent to ridgelines. Old wind slabs are now only very rarely prone to triggering in high Alpine regions.

On steep grassy slopes more gliding avalanches are possible, especially in the regions exposed to heavier precipitation. Caution is to be exercised in areas with glide cracks. The danger of gliding avalanches will increase a little during the day.

Snowpack

Danger patterns

(dp 2: gliding snow)

snow $ig) \,\, \left(\,$ dp 6: cold, loose snow and wind ig)

The snowpack will be moist at low and intermediate altitudes. The fresh wind slabs are lying on soft layers in particular on shady slopes above approximately 2400 m. The somewhat older wind slabs have bonded well with the old snowpack in all aspects. Faceted weak layers exist deep in the old snowpack above approximately 3000 m.


Tendency

The snow sport conditions outside marked and open pistes are generally favourable.





Danger Level 2 - Moderate



Caution is to be exercised in areas with glide cracks. Fresh wind slabs require caution, in particular adjacent to ridgelines above approximately 2400 m.

On steep grassy slopes the danger of gliding avalanches will decrease a little to level 2 (moderate). More gliding avalanches are possible, even quite large ones, especially on sunny slopes below approximately 2600 m. Areas with glide cracks are to be avoided as far as possible. As a consequence of warming there will be only a slight increase in the danger of gliding avalanches.

As a consequence of a sometimes strong southwesterly wind, sometimes avalanche prone wind slabs will form in particular in the regions exposed to the foehn wind. They can be released by a single winter sport participant in some cases especially on very steep shady slopes above approximately 2400 m. They are mostly small. The fresh wind slabs are clearly recognisable to the trained eye. Caution is to be exercised in particular adjacent to ridgelines.

Old wind slabs are now only very rarely prone to triggering in high Alpine regions. The snow sport conditions outside marked and open pistes are generally favourable.

Snowpack

Danger patterns

dp 2: gliding snow

) (dp 6: cold, loose snow and wind)

The snowpack will be moist at low and intermediate altitudes. The fresh wind slabs are lying on soft layers in particular on shady slopes above approximately 2400 m. The somewhat older wind slabs have bonded well with the old snowpack in all aspects. Faceted weak layers exist deep in the old snowpack above approximately 3000 m.


Tendency

Gliding snow represents the main danger.





Danger Level 1 - Low



Fresh wind slabs in the high Alpine regions. Slides can occur on steep grassy slopes.

Individual avalanche prone locations for dry avalanches are to be found in particular on very steep shady slopes above approximately 2400 m, and adjacent to ridgelines. Such avalanche prone locations are very rare and are easy to recognise. Individual avalanche prone locations for gliding avalanches are to be found in particular on steep grassy slopes below approximately 2600 m, especially in the regions exposed to heavier precipitation. The danger of gliding avalanches will increase a little during the day.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind) (dp 2: gliding snow)

As a consequence of a sometimes strong southwesterly wind, rather small wind slabs will form at elevated altitudes. In some places wind slabs are lying on the soft surface of an old snowpack, in particular above approximately 2400 m on shady slopes. At low and intermediate altitudes hardly any snow is lying.

Tendency

Low, level 1.

