


Danger Level 2 - Moderate



Tendency: Increasing avalanche danger
on Sunday 11 04 2021



Wind-drifted
snow



Wind slabs are to be avoided.

The rather small wind slabs of the last few days are to be avoided as far as possible. The avalanche prone locations are to be found in particular on steep northwest to north to northeast facing slopes and adjacent to ridgelines and in gullies and bowls above approximately 2200 m. In isolated cases avalanches are medium-sized and can be released in some cases by a single winter sport participant. The number and size of avalanche prone locations will increase with altitude.

Weak layers in the old snowpack can still be released in very isolated cases at transitions from a shallow to a deep snowpack, in particular on very steep shady slopes above approximately 2200 m.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Wind slabs are lying on soft layers on shady slopes, especially adjacent to ridgelines at high altitudes and in high Alpine regions.


Outgoing longwave radiation during the night will be reduced. The spring-like weather conditions as the day progresses will give rise to slight softening of the snowpack especially on steep sunny slopes below approximately 2400 m.

Faceted weak layers exist in the snowpack in particular on very steep shady slopes.

Tendency

Slight increase in avalanche danger as a consequence of new snow and wind.

Danger Level 1 - Low



Tendency: Increasing avalanche danger
on Sunday 11 04 2021



Wind-drifted
snow



2400m

Wind slabs require caution.

The mostly small wind slabs of the last few days are in some cases still prone to triggering, in particular at elevated altitudes. Avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2400 m and in gullies and bowls. They are easy to recognise. In steep terrain there is a danger of falling on the hard snow surface.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

The old snowpack is largely stable. The mostly small wind slabs of the last few days are in individual cases still prone to triggering, especially on very steep shady slopes and at elevated altitudes. On sunny slopes the snowpack is better bonded.

Outgoing longwave radiation during the night will be reduced in some case.

Tendency

Slight increase in avalanche danger as a consequence of new snow and wind.