





## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Friday 11 03 2022

The backcountry touring conditions are favourable.

Individual avalanche prone locations are to be found on extremely steep shady slopes above approximately 2400 m, especially in little used terrain. Extremely steep shady slopes are to be traversed by snow sport participants one at a time.

In addition the danger of wet avalanches will increase from midday. Especially on steep sunny slopes small to medium-sized wet loose snow avalanches are possible. In the regions with a lot of snow individual gliding avalanches are possible. Areas with glide cracks are to be avoided as far as possible.

## Snowpack

### Danger patterns

dp.7: snow-poor zones in snow-rich surrounding

dp.10: springtime scenario

The snowpack will be stable over a wide area.

Shady slopes: In very isolated cases weak layers exist in the centre of the snowpack, especially above approximately 2400 m. The upper section of the snowpack is soft; its surface is loosely bonded and consists of surface hoar and faceted crystals.

Steep sunny slopes, below approximately 2600 m: The surface of the snowpack has frozen to form a strong crust and will soften during the day.

## Tendency

Low avalanche danger will prevail. As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches during the day being released will increase a little.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Friday 11 03 2022

The backcountry touring conditions are favourable.

From midday as a consequence of warming during the day and solar radiation there will be only a slight increase in the danger of wet avalanches. In particular on steep sunny slopes individual small to medium-sized gliding avalanches and moist snow slides are possible. Areas with glide cracks are to be avoided as far as possible.

### Snowpack

#### Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The snowpack will be stable over a wide area.

Steep sunny slopes: The surface of the snowpack has frozen to form a strong crust and will soften during the day.

Shady slopes: The upper section of the snowpack is soft; its surface is loosely bonded and consists of surface hoar and faceted crystals.

### Tendency

Low avalanche danger will prevail. As a consequence of warming during the day and solar radiation more small to medium-sized gliding avalanches and moist snow slides are possible.