







## Danger Level 2 - Moderate



**Tendency: Decreasing avalanche danger**  
on Wednesday 05 04 2023



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

### Fresh wind slabs require caution.

The wind slabs of the last few days can be released by a single winter sport participant in some cases. They are to be evaluated with care and prudence in particular on steep shady slopes above approximately 2500 m. At elevated altitudes the likelihood of avalanches being released is greater.

Additionally in very isolated cases dry avalanches can also penetrate deep layers, in particular on extremely steep shady slopes at elevated altitudes in areas where the snow cover is rather shallow. Avalanches can reach medium size.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

The wind slabs are lying on soft layers in particular on very steep shady slopes at elevated altitudes. On Tuesday the wind will be strong in some cases.

In very isolated cases weak layers exist in the old snowpack, especially on steep shady slopes at elevated altitudes.

The weather conditions as the day progresses will give rise to slight moistening of the snowpack at low and intermediate altitudes.


The snowpack will be generally subject to considerable local variations.

### Tendency


On Wednesday it will be cold. The wind will be moderate. These weather conditions will facilitate a strengthening of the snow drift accumulations.




## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
 on Wednesday 05 04 2023




Persistent weak layer



Snowpack stability: **poor**  
 Frequency: **few**  
 Avalanche size: **large**



Wind slab



Snowpack stability: **poor**  
 Frequency: **few**  
 Avalanche size: **medium**

Weakly bonded old snow represents the main danger. Wind slabs at elevated altitudes.

Avalanches can be released in near-surface layers by a single winter sport participant, in particular on very steep sunny slopes above approximately 2500 m, in isolated cases also on very steep shady slopes. On the Main Alpine Ridge such avalanche prone locations are more prevalent. Avalanches can reach large size in isolated cases.

In addition the wind slabs of the last few days adjacent to ridgelines and at elevated altitudes are capable of being triggered in some cases still. They are to be evaluated with care and prudence in particular in very steep terrain.

On extremely steep sunny slopes individual loose snow slides are possible.

### Snowpack

**Danger patterns**

dp.4: cold following warm / warm following cold

dp.6: cold, loose snow and wind

Faceted weak layers exist in the top section of the snowpack, especially on sunny slopes above approximately 2500 m, in isolated cases also on shady slopes at elevated altitudes.

As a consequence of the occasionally strong wind, fresh snow drift accumulations formed during the last few days. These are lying on soft layers in particular on very steep shady slopes at elevated altitudes.

The solar radiation will give rise to gradual moistening of the snowpack in particular on sunny slopes at intermediate altitudes.

### Tendency

On Wednesday it will be cold. The wind will be moderate. The snowpack remains prone to triggering at elevated altitudes.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Wednesday 05 04 2023

**Low avalanche danger will prevail. Fresh wind slabs require caution.**

Fresh and somewhat older wind slabs are very small and can only be released in isolated cases. Individual avalanche prone locations are to be found on extremely steep slopes and on wind-protected north facing slopes. These places are very rare and are clearly recognisable to the trained eye.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

The more recent wind slabs can only be released in isolated cases, especially on very steep shady slopes at elevated altitudes.

The old snowpack is largely stable.

The solar radiation will give rise as the day progresses to gradual moistening of the snowpack below approximately 2000 m.

From a snow sport perspective, in most cases insufficient snow is lying.

## Tendency

On Wednesday it will be cold. The wind will be moderate. The weather effects will foster a strengthening of the snowpack.