



Danger Level 2 - Moderate



Tendency: Increasing avalanche danger
 on Saturday 29 04 2023



Persistent weak layer



2400m

Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **large**



Wind slab



2600m

Snowpack stability: **poor**
 Frequency: **few**
 Avalanche size: **medium**



Wet snow



2400m

Snowpack stability: **poor**
 Frequency: **some**
 Avalanche size: **medium**

Wind slabs and weakly bonded old snow are to be assessed with care and prudence. Wet snow requires caution.

In isolated cases avalanches can be triggered in the weakly bonded old snow and reach large size in isolated cases, in particular on very steep shady slopes above approximately 2400 m.

In addition the various wind slabs of the last few days are capable of being triggered in some locations. They are to be evaluated with care and prudence in particular on northwest to north to northeast facing aspects above approximately 2600 m. Avalanches can in isolated cases penetrate deep layers. At elevated altitudes the avalanche prone locations are more prevalent.

As a consequence of the rain more frequent wet avalanches are to be expected, even medium-sized ones. In particular on north facing slopes avalanches can release the weakly bonded old snow as well and reach large size in isolated cases.

Snowpack

Danger patterns

dp.4: cold following warm / warm following cold

dp.3: rain

At elevated altitudes in some regions up to 10 cm of snow will fall. The various wind slabs are in some cases still prone to triggering especially on northeast, north and northwest facing slopes above approximately 2600 m.

Avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes.

Outgoing longwave radiation during the night will be severely restricted over a wide area. The surface of the snowpack will freeze very little and will soften quickly. The rain will give rise to a loss of strength within




the snowpack.

Tendency

On Saturday it will be very mild. Rapid increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Saturday 29 04 2023



Persistent weak layer



Snowpack stability: **poor**
Frequency: **few**
Avalanche size: **medium**



Wet snow



Snowpack stability: **poor**
Frequency: **few**
Avalanche size: **medium**

Weakly bonded old snow and wet snow require caution.

More recent wind slabs are to be assessed with care and prudence. The avalanche prone locations are sometimes covered with new snow and are difficult to recognise. Additionally in some places avalanches can also penetrate deep layers. Increase in danger of wet avalanches in the course of the day.

Snowpack

Danger patterns


dp.10: springtime scenario

The Avalanche Warning Service currently has only a small amount of information that has been collected in the high Alpine regions, so that the avalanche danger should be investigated especially thoroughly in the relevant locality. Sunshine and high temperatures will give rise as the day progresses to moistening of the snowpack.

Tendency

On Saturday it will be very mild. Increase in danger of wet avalanches in the course of the day.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
 on Saturday 29 04 2023



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**



Wet snow



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Wind slabs are to be evaluated with care and prudence. Wet snow requires caution.

Wind slabs are mostly only small but in some cases prone to triggering, in particular on very steep northwest, north and northeast facing slopes above approximately 2600 m. At elevated altitudes the avalanche prone locations are more prevalent. In very isolated cases avalanches can also penetrate deep layers.

As the moisture increases more frequent wet avalanches are to be expected. This applies in all aspects below approximately 2400 m. In particular on north facing slopes avalanches can release the weakly bonded old snow as well and reach quite a large size.

Snowpack

Danger patterns

dp.4: cold following warm / warm following cold

dp.3: rain

The various wind slabs are in some cases still prone to triggering in particular on very steep northwest, north and northeast facing slopes above approximately 2600 m.

Isolated avalanche prone weak layers exist in the top section of the snowpack in particular on steep shady slopes.

Outgoing longwave radiation during the night will be severely restricted over a wide area. The surface of the snowpack will freeze very little and will soften quickly. The weather conditions will give rise to increasing and thorough wetting of the snowpack.

Tendency

On Saturday it will be very mild. Rapid increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Saturday 29 04 2023

In all aspects a little snow is lying.

Increase in danger of wet snow slides as a consequence of warming during the day and solar radiation.

Snowpack

Danger patterns


dp.10: springtime scenario

At low and intermediate altitudes from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

On Saturday it will be very mild. Increase in danger of wet avalanches in the course of the day.

Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Saturday 29 04 2023



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**

Wet avalanches as the day progresses.

The older wind slabs are to be evaluated with care and prudence in particular in very steep terrain, in particular on very steep shady slopes at high altitude. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

As a consequence of warming more frequent wet avalanches are to be expected, but they will be mostly small.

Snowpack

Danger patterns

dp.10: springtime scenario

The mostly small wind slabs are in individual cases still prone to triggering, especially at high altitude. Outgoing longwave radiation during the night will be severely restricted over a wide area. The surface of the snowpack will freeze very little and will soften quickly. The spring-like weather conditions will give rise to increasing and thorough wetting of the snowpack in all aspects. At low and intermediate altitudes hardly any snow is lying.

Tendency

On Friday it will be mild. Increase in danger of wet avalanches in the course of the day.